

NOTA DI LAVORO

85.2013

The Future Costs of Nuclear Power Using Multiple Expert Elicitations: Effects of RD&D and Elicitation Design

By Laura Diaz Anadon, Belfer Center for Science and International Affairs, John F. Kennedy School of Government, Harvard University, USA

Gregory Nemet, Nelson Institute Center for Sustainability and the Global Environment (SAGE), University of Wisconsin, and La Follette School of Public Affairs, University of Wisconsin, USA

Elena Verdolini, Fondazione Eni Enrico Mattei and CMCC, Italy

Climate Change and Sustainable Development Series Editor: Carlo Carraro

The Future Costs of Nuclear Power Using Multiple Expert Elicitations: Effects of RD&D and Elicitation Design

By Laura Diaz Anadon, Belfer Center for Science and International Affairs, John F. Kennedy School of Government, Harvard University, USA Gregory Nemet, Nelson Institute Center for Sustainability and the Global Environment (SAGE), University of Wisconsin, and La Follette School of Public Affairs, University of Wisconsin, USA

Elena Verdolini, Fondazione Eni Enrico Mattei and CMCC, Italy

Summary

Characterizing the anticipated performance of energy technologies to inform policy decisions increasingly relies on expert elicitation. Knowledge about how elicitation design factors impact the probabilistic estimates emerging from these studies is however scarce. We focus on nuclear power, a large-scale low-carbon power option, for which future cost estimates are important to designing energy policies and climate change mitigation efforts. We use data from three elicitations in the USA and in Europe and assess the role of government Research, Development, and Demonstration (RD&D) investments on expected nuclear costs in 2030. We show that controlling for expert, technology, and design characteristics increases experts' implied public RD&D elasticity of expected costs by 25%. Public sector and industry experts' costs expectations are 14% and 32% higher, respectively than academics. US experts are more optimistic than their EU counterparts, with median expected costs 22% lower. On average, a doubling of public RD&D is expected to result in an 8% cost reduction, but uncertainty is large. The difference between the 90th and 10th percentile estimates is on average 58% of the experts' median estimates. Public RD&D investments do not affect uncertainty ranges, but US experts' are less confident about costs than Europeans.

Keywords: Nuclear Power, Uncertainty, Returns to RD&D, Expert Elicitations, Meta-Analysis

JEL Classification: O3, Q5, Q55

This paper has been published together with the supplementary information as: Laura Diaz Anadon, Gregory Nemet, and Elena Verdolini, (2013). "The future costs of nuclear power using multiple expert elicitations: effects of RD&D and elicitation design", Environ. Res. Lett. 8 . (2013) 034020, <u>doi:10.1088/1748-9326/8/3/034020</u>.

Address for correspondence:

Elena Verdolini Fondazione Eni Enrico Mattei Corso Magenta 63 20123 Milano Italy

E-mail: elena.verdolini@feem.it

The future costs of nuclear power using multiple expert elicitations: effects of RD&D and elicitation design

Laura Diaz Anadon^{1*}, Gregory Nemet^{2,3*}, and Elena Verdolini^{4*}

- ¹ Belfer Center for Science and International Affairs, John F. Kennedy School of Government, Harvard University—Cambridge, Massachusetts, MA USA, laura_diaz_anadon@harvard.edu. ² Nelson Institute Center for Sustainability and the Global Environment (SAGE), University of
- Wisconsin—Madison, Madison, WI USA, nemet@wisc.edu.
- ³ La Follette School of Public Affairs, University of Wisconsin—Madison, Madison, WI USA
- ⁴ Fondazione Eni Enrico Mattei and CMCC, Corso Magenta 63 20123 Milano, Italy, elena.verdolini@feem.it
- *All authors contributed equally

THIS PAPER HAS BEEN PUBLISHED TOGETHER WITH THE SUPPLEMENTARY INFORMATION AS:

Laura Diaz Anadon, Gregory Nemet, and Elena Verdolini, (2013). "The future costs of nuclear power using multiple expert elicitations: effects of RD&D and elicitation design", Environ. Res. Lett. 8 (2013) 034020.

Abstract

Characterizing the anticipated performance of energy technologies to inform policy decisions increasingly relies on expert elicitation. Knowledge about how elicitation design factors impact the probabilistic estimates emerging from these studies is however scarce. We focus on nuclear power, a large-scale low-carbon power option, for which future cost estimates are important to designing energy policies and climate change mitigation efforts. We use data from three elicitations in the USA and in Europe and assess the role of government Research, Development, and Demonstration (RD&D) investments on expected nuclear costs in 2030. We show that controlling for expert, technology, and design characteristics increases experts' implied public RD&D elasticity of expected costs by 25%. Public sector and industry experts' costs expectations are 14% and 32% higher, respectively than academics. US experts are more optimistic than their EU counterparts, with median expected costs 22% lower. On average, a doubling of public RD&D is expected to result in an 8% cost reduction, but uncertainty is large. The difference between the 90th and 10th percentile estimates is on average 58% of the experts' median estimates. Public RD&D investments do not affect uncertainty ranges, but US experts' are less confident about costs than Europeans.

PACS:

01.78.+p Science and government

89.30.Gg Nuclear fission power (for fission reactors, see 28.41.-i and 28.50.-k in nuclear physics) 89.65.Gh Economics; econophysics, financial markets, business and management (for economic issues regarding production and use of renewable energy, see 88.05.Lg)

KEYWORDS:

Nuclear power, uncertainty, returns to RD&D, expert elicitations, meta-analysis

1. Introduction

Developing energy policies that are robust to a broad set of possible future conditions typically requires explicit (Nakicenovic and Riahi, 2002) or implicit (Nordhaus, 2008) characterization of the anticipated performance of individual energy technologies. Representing future technological change introduces considerable uncertainty into decision-making because, as we know from past data, energy technologies have been dynamic (Grubler *et al.*, 1999). And even though future change is uncertain, we are not completely ignorant. Dispersed researchers have produced data and developed tools that, in combination, provide the basis for probabilistic estimates of future improvements in technology. A well-established methodology used to this end is expert elicitation.

Expert elicitations gather the informed opinions of experts on technical questions that fall within their area of knowledge and expertise. Data collection is carried out using elicitation protocols carefully designed to reduce heuristics and biases (Hogarth, 1987; Morgan and Henrion, 1990; Cooke, 1991). These data-gathering efforts are particularly useful in decisions that require an assessment of the future evolution of energy technologies because historic data may not inform on future performance and costs or the relevant data might not be available.

Energy policy making relies on experts' estimates of the future performance, costs, and safety of energy technologies (Apostolakis, 1990). A prominent one is the study undertaken by the European Commission and the United States Nuclear Regulatory Commission during the 1990s on the uncertainty surrounding accident consequence codes for nuclear power plants (Cooke and Goossens, 2004). Six years ago, the National Research Council released a report with a strong recommendation that the U.S. Department of Energy begin to use expert elicitation for their RD&D allocation decisions, to explicitly characterize probabilistic estimates of the outcomes of RD&D investments (NRC, 2007). Over the past few years, research groups on both sides of the Atlantic have gathered data from expert elicitations on the future of several energy technologies to inform energy RD&D policy (Anadon et al., 2011; Anadon et al., 2012; Baker and Keisler, 2011; Baker et al., 2009a, b; Chan et al., 2011; Curtright et al., 2008; Bosetti et al., 2012). The ability to use probabilistic data from various elicitations to characterize future energy technology uncertainty and improve the reliability of estimates is valuable for impact assessment evaluations such as the Energy Modeling Forum (EMF) and the International Panel on Climate Change (IPCC), especially in light of the magnitude of investments being considered to support energy technologies and the costs and time involved in collecting elicitation data.

This paper takes a first step in this direction and focuses on three recent expert elicitations on the future costs of nuclear fission technologies carried out by groups at Carnegie Mellon, FEEM (Fondazione Eni Enrico Mattei) and Harvard. This collection of experts' estimates provides a rich resource with which to inform RD&D, energy, and nuclear policy decisions on future nuclear costs and on the uncertainty surrounding them. However, substantial differences in expert composition, elicitation design and technology considered make it difficult to draw more than very general conclusions when looking at the multiple elicitations. Such differences are very likely to affect experts' estimates. Previous studies, for example, pointed at the importance of protocol design and expert selection as key for elicitation results (Raiffa, 1968; Keeney and Winterfeldt, 1991; Meyer and Booker, 1991; Phillips, 1999; Clemen and Reilly, 2001; Walls and Quigley, 2001). However, no empirical assessments of the impact and size of differences in expert selection and elicitation design have been carried out to date. Similarly, no empirical analysis exists on the size and shape of the relationship between public RD&D investments and the future cost of nuclear power (or any other technology) emerging from elicitations data.

Our contribution fills this gap in the literature. *First*, provide important insights on the bias introduced by specific elicitation design decisions by assessing how experts' characteristics affect estimates of cost and uncertainty. The FEEM and Harvard studies are similar in elicitation design and method (both were conducted online), but include a heterogeneous group of experts in terms of affiliation and nationalities, allowing investigation of how characteristics of the expert influence their beliefs about the returns to public RD&D. Conversely, the CMU elicitation was administered in person, but only includes data for Gen. III/III+ consistent with a business as usual U.S. public RD&D funding scenario. Hence we provide some preliminary results on whether or not in person elicitations are associated with statistically significant differences on costs under a BAU public RD&D scenario. *Second*, we derive an average estimate of the elasticity of (future) nuclear costs to (future) nuclear public RD&D investments that accounts for expert, design, and technology differences. This is a valuable parameter for both policy makers and modelers interested in uncertainty analysis, which can be compared with historical estimates of returns to RD&D (NRC, 2001).

2. Data

We use responses from 67 experts about the future costs of nuclear power conditional on specified levels of RD&D investment obtained via expert elicitation included in the Harvard/FEEM (Anadon *et al.*, 2012) and CMU (Abdulla *et al.*, In press) studies (25 experts in the Harvard elicitation, 30 in the FEEM elicitation, and 12 in the CMU elicitation). Table S1 in the supplementary material summarizes the key characteristics from these elicitation studies. Harvard and FEEM used online tools to elicit US and EU experts, respectively. In the CMU study experts completed a paper-based instrument during an in person meeting.

For each expert, the three elicitations collected estimates of the 50th, 10th and 90th percentile of expected overnight capital costs in 2030 for different types of reactors, conditional on levels of public annual RD&D funding. All elicited estimates are in 2010\$. All experts provided estimates consistent with the business as usual (BAU) funding scenarios, where yearly public RD&D investment to 2030 would not significantly change from the present investment in the United States or in the European Union, depending on the study. Moreover, the FEEM and Harvard experts were asked about 3 additional RD&D scenarios: (1) a Recommended budget scenario, with a yearly public RD&D investment level chosen by the experts (ranging between 1.5 and 20 times BAU investments); (2) a Half Recommended budget scenario, with a public RD&D investment equal to half the yearly amount in the Recommended budget scenario; and (3) a 10X Recommended scenario, with a public RD&D investment equal to ten times the yearly amount in the Recommended budget scenario. Not all experts provided all estimates for all technologies, RD&D funding scenarios, and percentile values.

Figure 1 shows a wide range of estimates of future costs under different public nuclear RD&D investment scenarios for large-scale Gen. III/III+ reactor systems (Harvard in the upper panel, FEEM in the middle and CMU in the lower) Similar figures for the large-scale Gen. IV reactor systems and SMRs are reported in the SI. 17 of the FEEM and Harvard experts also participated in a group meeting in which they discussed the rationale behind their answers and could potentially converge towards a consensus answer (Dalkey, 1969). However, as documented in Anadon et al. (2012), only a few experts made marginal changes to their estimates.




Figure 1. Elicitation results for large-scale Gen. III/III+ reactor systems for the FEEM, Harvard and CMU studies (Abdulla *et al.*, In press; Anadon *et al.*, 2012). The data points represent the 50th percentile estimates. The top and bottom error bars denote the 10th and 90th percentiles, respectively. The "2010 ref." data point includes the experts' estimates of costs in 2010, of interest given the fact that there are few reactors being built in both the US and the EU. CMU experts 6 and 8 did not provide a 50th percentile estimate.

3. Approach

Our first objective is to understand how scenarios with different levels of potential public RD&D investment affect experts' central estimates (50th percentile) of the costs of nuclear technologies in 2030. Second, we assess whether the RD&D investment level also impacts the range of uncertainty surrounding these cost estimates. We define uncertainty here as the difference between the 90th and the 10th percentile of expected costs, normalized by the median (50th percentile). We thus use information on experts' responses for each technology in each RD&D scenario. Given that, as explained above, not all experts provided all cost estimates, we end up

with 393 observations in the analysis of the central estimate and 389 observations in the analysis of the uncertainty range.

We draw on two strands of literature to choose a functional form for our specifications. First, the literature on learning-by-doing (LbD) finds that the accumulation of experience in manufacturing and/or project development, proxied by capacity, often leads to productivity improvements (Arrow, 1962). In this "learning-curve" model, the rate of cost reductions in different technologies is a function of the number of units installed or produced. LbD is investigated using a ln-ln specification linking technology costs and experience and has been applied to a wide range of technologies (Bodde, 1977; Junginger *et al.*, 2005; Grubler *et al.*, 1999; Goldemberg *et al.*, 2004). The "two factor learning curve" model augments the basic specification with a learning-by-searching factor accounting for the impact of RD&D investments on costs (Kouvaritakis *et al.*, 2000; Klaassen *et al.*, 2005; Soderholm and Klaassen, 2007). We choose the ln-ln specification as our main model of the relationship between future costs and public RD&D investments. We however do not include a learning-by-doing variable because experts provided their cost estimates conditional on just RD&D investments (note that the CMU study only provides estimates consistent with a BAU public RD&D funding scenario in the US).

The second strand of literature focuses on returns to RD&D (Evenson and Kislev, 1976; Evenson, 1984; Segerstrom, 1998; Popp, 2002; Tassey, 2003; Bosch *et al.*, 2005; Hall *et al.*, 2009). These contributions generally suggest that if too many resources are devoted to RD&D in a short time frame, technology cost improvements could exhibit diminishing returns (Kortum, 1997; Popp *et al.*, 2012). Diminishing marginal returns are usually tested with the inclusion of a quadratic RD&D term or a negative exponential function (Blanford, 2009). We thus also test a linear specification relating technology costs with RD&D and its squared term.

3.1. Dependent variable: experts' estimates of overnight capital cost

As explained above, we consider two different dependent variables to explore the impact of RD&D investment on expected nuclear costs: the 50th percentile estimate of overnight capital cost in 2030 and normalized uncertainty, defined as (p90-p10)/p50. Descriptive on both variables are presented in Table 1. The average expected cost of nuclear technologies in 2030 is around 4,800 in \$/kW, with estimates as low as 506 \$/kW but also experts expecting costs as high as 14,156 \$/kW. Uncertainty ranges between 0.10 and 1.83, with an average value of 0.58. Table S2 in the SI contains a breakdown of the central estimate observations by RD&D scenario and technology type.

3.2. Independent variables: research design and experts' characteristics

The estimates of costs provided by the experts are conditional on RD&D investment but also on the type of technology included in the elicitations. Specifically, the assumed yearly public RD&D investment levels range from \$2,000 million to 80 billion dollars across the four different scenarios (BAU, Recommended, Half recommended and 10X recommended) (Table 1). With respect to technology characteristics, our observations are almost equally divided between Gen. III/III+ technologies, Gen. IV technologies and small and medium sized reactors (SMRs). We define these technology categories in detail in the SI.

Among the observables that could potentially affect elicitation results we consider both variables capturing differences across studies (indicating differences in study design) and variables

capturing differences across experts within studies (indicating individual characteristics). For example, studies suggest that selecting a diverse pool of experts can help avoiding anchoring to a usually conservative reference point (Meyer and Booker, 1991). Table S3 in the supplementary material discusses and justifies the selection of the control variables.

Around 45% of our experts belong to public institutions (including supra-national European organizations), while 27% work in industry and the remaining 28% are academics (Table 1). Moreover, around 55% of our expert pool work in the United States ("USA" variable), with the remaining 45% working in the European Union. Only 3% of the data in our sample (the CMU elicitations) was obtained through a face-to-face interview rather than on-line ("In-person" variable).

Table 1 Descriptive statistics

Variable	Obs	Mean	Std.Dev.	Min	Max
Dependent variable, 2030 overnight capital costs (\$/kW)					
Median (p50)	393	4,872	1,816	506	14,156
10th %tile	389	3,781	1,548	253	11,000
90th %tile	389	6,463	2,389	758	20,222
p50/(p50 ₂₀₁₀)	372	1.15	0.51	0.22	4.00
(p90-p10)/p50	389	0.58	0.31	0.10	1.83
Investment					
R&D (\$m)	393	5,324	10,386	400	80,000
R&D rec.	393	0.22	0.41	0	1
R&D high	393	0.21	0.41	0	1
Elicitation characteristics					
In-person	393	0.03	0.16	0	1
public	393	0.45	0.50	0	1
industry	393	0.27	0.45	0	1
USA	393	0.55	0.50	0	1
PRONUKE	393	0.07	0.25	0	1
Gen IV	393	0.38	0.49	0	1
SMR	393	0.36	0.48	0	1

Notes: the R&D rec. and the R&D high variables are dummy variables equal to 1 if the associated expert's cost estimate refers to the recommended and high R&D scenarios, respectively. The average values of the variables therefore represent the share of cost estimate referring to that specific R&D scenario within our sample.

Omitting expert and technology subscripts, our main specification reads as follows:

$$\ln y = \alpha_0 + \beta \ln RD \& D + \gamma' \mathbf{z} + \varepsilon$$

Where y is either the central estimate of future technology costs (50th percentile) or the uncertainty range (p90-p10/p50), RD&D is the yearly public research and development budget in nuclear technologies associated with each cost estimate, z is the column vector of control variables as listed in table S2, and ε is an i.i.d. error component with mean zero and variance σ^2 .

The main shortcoming of the above specification is that there might be some unobservable individual characteristics that are likely to bias the estimates above and beyond what we can control for using our independent variables. We therefore check the robustness of our results also including experts' fixed effects.

4. Results

We present here the main results of the specifications for costs and the uncertainty range. Additional results are presented in the SI.

4.1. Predictors of median overnight capital costs

Table 2 presents the results of 7 specifications focusing on the 50th percentile of expected overnight capital. Model 1 is a simple correlation in which we estimate the effect of (future) annual public RD&D investment on (future) cost without controlling for any other observable characteristics. The estimated coefficient is significant and indicates that a doubling of yearly public energy RD&D investment in nuclear technologies (equivalent to a 100% increase) is associated on average with 7% decrease in overnight capital costs by 2030. In model 2, we drop the continuous RD&D variable and use dummy variables associated with different RD&D levels. Specifically, the reference categories include BAU and half recommended RD&D budget level, while the dummy variables "RD&D rec." and "RD&D high" indicate each expert's recommendation of RD&D investment and 10 times the expert's recommended level, respectively. The notion here is that using the actual RD&D levels provided in the elicitation may exaggerate the precision with which experts can be expected to understand the returns to RD&D. The hypothesis is that experts are better equipped to distinguish between low, medium, and high levels of RD&D. Both variables are significant and in the expected direction. The effects of high RD&D is twice that of recommended RD&D: high public RD&D investments are associated with costs that are on average approximately 21% lower than "low" public RD&D investment scenario (which refers to the BAU and half recommended public RD&D scenarios). Note that approximate refers to the fact that this is a close approximation given that the dependent variables is in log form—we use this terminology throughout when interpreting the effect dummy coefficients. The elicitation questions on RD&D thrusts included in the FEEM and Harvard elicitations and the group workshop conducted by the FEEM and Harvard teams shed some light onto what technical issues experts thought public RD&D investments could address. Some of the key issues were additional work on modeling and demonstration projects to test the economics of Gen. IV designs, with a particular focus on sodium-cooled fast reactors, high-temperature reactors, and gas-cooled fast reactors, and also research to improve the safety and proliferation resistance of Gen. IV designs. Regarding SMRs, experts expressed the need for RD&D to safety test and demonstrate the viability and operability of light-water reactor designs, and to develop more advanced fuels and materials. Given that the full list of RD&D thrusts is too long to include here, the reader is referred to Anadon et al. (2011) for a more comprehensive list.

The fit of models 1 and 2 is low but improves dramatically when the controls for experts' affiliation, the type of technology and the area of origin of the expert are added to the model (model 3 and model 4, respectively). In model 3, as a result of the inclusion of the additional controls, the coefficient on the RD&D variable is associated with a significant increase of roughly 25%, going from 0.0676 to 0.0843. Hence, a doubling of public RD&D yearly budget for nuclear technologies is associated with an 8% decrease of nuclear costs in 2030, on average and *ceteris paribus*. This indicates that any policy insight based on the correlation emerging from model 1 substantially underestimates the impact of public funding on nuclear cost reductions. Similar conclusions can be reached with respect to the RD&D levels as measured by dummy variables in

models 2 and 4. Specifically, as a result of the inclusion of the additional controls, the central estimate of costs under the recommended RD&D scenario is approximately 14.7%, a significant increase from the approximate value of 10.8% in model 2 without the controls. Similarly, the effect of high R&D also increases with the controls.

Model 5 further explores the role of data acquisition method by including a dummy variable to control for face-to face interview, but the estimated coefficient is not statistically significant. Finally, models 6 and 7 include experts' dummies in models 3 and 5, respectively, to account for unobservable expert characteristics that might be correlated with the elicited median costs. Adding expert fixed effects only slightly reduces the coefficient associated with the RD&D variable, but the estimate is still roughly 15% higher than in model 1.

The results for the other control variables (using model 3) show that experts from public institutions have estimates of overnight capital costs that are about 14% higher on average than those of academics. Estimates for experts from industry are even higher, on average approximately 31% higher than academics. This difference could be explained by the fact that industry experts are generally more likely to think about potential escalations on labor, materials, licensing, and permitting costs than their academic counterparts, since academic experts may tend to be more detached from these less technical costs. Overnight capital costs are expected to be higher for both Gen. IV and SMR technologies with respect to Gen. III/III+ technologies by approximately 23% and 24%, respectively. Expected overnight capital costs are about 22% lower for experts in the USA when compared to experts in the European Union. All of the above controls are significant across all 5 models in Table 2 in which they are included. The inclusion of the fixed effects in models 6 and 7 leads to increases in the magnitude of the coefficients for expert characteristics controls, although the sign and statistical significance remain the same. The in-person variable becomes negative and significant when expert fixed effects are included (model 7), although it is difficult to draw conclusions about this effect since it requires inclusion of unobserved expert characteristics for it to become significant. In-person effects will be a focus of future work assembling additional elicitation data so that more than the 3% of observations are in-person. We focus our interpretation on models 1-5, without fixed effects. But the role of expert fixed effects does suggest that additional expert characteristics might be important to gather in future work.

Table 2 Estimates of expert's elicited 50^{th} percentile of overnight capital cost. Y = ln(P50)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)
In(R&D)	-0.0676***		-0.0843***		-0.0852***	-0.0778***	-0.0778***
	[5.11e-06]		[1.73e-09]		[1.42e-09]	[0]	[0]
R&D recommended		-0.108**		-0.147***			
		[0.0383]		[0.00317]			
R&D high		-0.213***		-0.249***			
		[1.40e-05]		[6.69e-08]			
public			0.141***	0.125***	0.142***	0.857***	1.398***
			[0.000150]	[0.00102]	[0.000140]	[2.58e-08]	[0]
industry			0.312***	0.322***	0.317***	0.906***	1.570***
			[0]	[0]	[0]	[4.38e-09]	[0]
USA			-0.220***	-0.200***	-0.218***	-0.329***	-1.129***
			[0]	[5.72e-09]	[8.81e-11]	[0]	[0]
GEN IV			0.228***	0.232***	0.222***	0.227***	0.227***
			[8.30e-07]	[1.45e-06]	[5.30e-06]	[4.47e-08]	[4.47e-08]
SMR			0.240***	0.244***	0.233***	0.259***	0.259***
			[9.67e-07]	[1.64e-06]	[6.03e-06]	[2.62e-08]	[2.62e-08]
in-person					-0.0723		-0.541***
					[0.476]		[7.68e-06]
Expert FE dummies	NO	NO	NO	NO	NO	YES	YES
Constant	8.926***	8.488***	8.849***	8.294***	8.859***	8.225***	9.025***
Observations	393	393	393	393	393	393	393
Adjusted R- squared	0.052	0.044	0.233	0.218	0.232	0.619	0.619

Robust p-values in brackets

Figure 2 shows how the estimated returns to public RD&D vary when accounting for observable expert, study and technology characteristics (models 1 and 3 compared). The x-axis shows public RD&D investment plotted in a log-scale, while the y-axis shows the associated overnight capital costs in 2030, also plotted in a log-scale. The lines in the graph represent the returns to RD&D estimated without controlling for other observable characteristics (discontinuous line – model 1) and including additional controls (continuous line, model 3). As already mentioned, not controlling for observable characteristics leads to a 25% underestimation of the effect of public RD&D investment on nuclear technology costs (meaning, the discontinuous line is 25% less steep than the continuous line). In addition, observable characteristics account for the distance between the two lines.

^{***} p<0.01, ** p<0.05, * p<0.1




Figure 2 RD&D and technology cost with and without observable expert, technology and study characteristics. Axes in logarithmic scales.

The SI includes additional specifications, all of which produced results in line with those above. These include: a normalized cost variable (calculated dividing the 2030 estimate by the 2010 estimate for the observations in the FEEM and Harvard studies) in both the linear, log-log and semi-log model; diminishing marginal returns to RD&D investments (RD&D²); interacting dummies with RD&D and with each other; and Box-Cox transformation to further investigate the most appropriate functional form.

4.2. Predictors of dispersion in costs

Here we test whether dispersion in technology costs is affected by the level of RD&D funding and the observable expert, technology and study characteristics. Table 3 reports specifications in line with those included in Table 2but where the dependent variable is now the measure of the range of uncertainty, (P90-P10)/P50.

We find that public RD&D investments are not statistically significant predictors of the uncertainty range provided by the experts. That is, higher or lower levels or investments are not systematically associated with narrower or wider uncertainty ranges under any of the seven specifications tested. US experts have significantly wider uncertainty ranges when compared to EU experts, approximately 16% larger according to model 5. In this case, the in-person variable is significant, and suggests that the uncertainty ranges for experts providing answers in person for the BAU RD&D scenario were about 40% lower, although the sign of this effect is not robust to the inclusion of expert fixed effects. The uncertainty range for SMRs is around 14% smaller than that for large scale Gen. III/III+, suggesting that experts are relatively confident about their cost estimates on these systems, which are expected to be delivered to the site fully constructed from the manufacturing facilities, even though the current experience is limited and no operating licenses have been issued in the United States or the EU. The group workshop conducted by the FEEM and Harvard teams also shed some light regarding the uncertainties they considered when making their estimates, which included the costs of materials, increased safety requirements, differences in contract structures, and the outcomes of RD&D on materials and fuel fabrication. As shown in the SI, the results on the uncertainty range are generally robust to changes in the functional form used in the empirical estimation.

Table 3 Estimates of effects on variation in nuclear costs. Y=ln[(p90-p10)/p50]

	(1)	(2)	(3)	(4)	(5)	(6)	(7)
In(R&D)	0.0119		0.0207		0.0162	-0.00128	-0.00128
	[0.599]		[0.366]		[0.480]	[0.925]	[0.925]
R&D		0.0108		0.0189			
		[0.877]		[0.788]			
R&D high		-0.0279		-0.0228			
		[0.717]		[0.766]			
public			0.0629	0.0692	0.0689	-0.620***	-1.463***
			[0.371]	[0.323]	[0.328]	[6.62e-11]	[0]
industry			0.0619	0.0601	0.0905	-0.883***	-0.993***
			[0.441]	[0.455]	[0.254]	[0]	[4.90e-06]
USA			0.154**	0.151**	0.163***	0.405***	-0.439**
			[0.0136]	[0.0152]	[0.00914]	[0]	[0.0264]
GEN IV			-0.0433	-0.0335	-0.0793	-0.0544	-0.0544
			[0.551]	[0.649]	[0.278]	[0.247]	[0.247]
SMR			-0.101	-0.0925	-0.139*	-0.0821*	-0.0821*
			[0.163]	[0.209]	[0.0573]	[0.0876]	[0.0876]
in-person					-0.398*		0.843***
					[0.0615]		[2.30e-05]
Expert FE	NO	NO	NO	NO	NO	YES	YES
Constant	-0.770***	-0.678***	-0.913***	-0.765***	-0.857***	-0.0648	0.778***
Observations	389	389	389	389	389	389	389
Adjusted R-							
squared	-0.002	-0.005	0.009	0.005	0.018	0.694	0.694

Robust p-values in brackets

5. Conclusion

Because nuclear power is one of the few large-scale low-carbon power technologies available, understanding its future cost is important for the design of climate change mitigation efforts. As expert elicitations and models relying on expert elicitation data are increasingly used in science policy contexts, scrutiny of their reliability is certain to increase. But at present, knowledge about the impact of design factors on the probabilistic estimates emerging from these studies is scarce. In this paper we combined three recent elicitations on the future (2030) cost of three types of nuclear power reactor types: large-scale Gen. III/III+ systems, large-scale Gen. IV systems, and small modular reactors. We provide insights about: (a) how the design of the elicitation and the selection of the experts affect nuclear elicitation results—thereby providing guidance for future elicitations; and (b) the expected returns to government nuclear RD&D. The results show that sector and geographic location of the expert, reactor type, and RD&D investment are statistically significant factors affecting experts' estimates of overnight capital cost and are robust to the two specifications supported by the literature: a ln-ln specification and a linear specification with a quadratic term.

Controlling for expert characteristics increases the estimated public RD&D elasticity of expected costs by 25%. We also show that academic experts are the most optimistic about the future costs

^{***} p<0.01, ** p<0.05, * p<0.1

of nuclear reactors. On average public and industry experts expect costs to be approximately 14% and 32% higher, respectively than academics. Since academic experts are typically more removed from technology commercialization than their counterparts, this may be expected, although the significance and magnitude of the effect had never been estimated. US experts were more optimistic than their EU counterparts, with expected costs that were on average about 22% lower. This could be related to the fact that the EU has more recent experience building nuclear power plants than the USA, and that these projects have suffered from cost overruns. Both of these findings indicate that expert selection has a large impact on elicitation results.

This result applies beyond expert elicitations to other efforts to estimate the cost of meeting climate change targets, which inevitably rely on assumptions about technology costs. It suggests that more transparency about the source of the estimates in integrated assessment models and other policy analysis models may be necessary. If academic experts are indeed more optimistic about future costs, current efforts that emphasize academic assessments could underestimate costs. Sensitivity analysis thus becomes paramount.

In the elicitations included in this study, the normalized uncertainty range—defined by the difference between the 90th and 10th percentile estimates divided by the 50th percentiles—is on average 58% of the experts median estimates, highlighting the large uncertainty around future nuclear costs. Further, public RD&D investments do not affect uncertainty ranges, but experts provided lower uncertainty ranges for SMRs when compared to Gen. III/III+ and Gen. IV reactors. This seems somewhat surprising given the greater level of experience with Gen. III/III+ systems, but could be explained by a greater confidence of experts in the ability of centralized manufacturing of SMRs to deliver reactors on time and on budget when compared to large scale projects, which have had widely varying costs in the past. Gen. III/III+ systems are expected to still be cheaper than Gen. IV and SMRs by 2030. In fact, even though the uncertainty around future SMR costs is lower, overnight capital costs are expected to be on average about 23% greater than that of Gen. III/III+ systems and only a little above large-scale Gen. IV systems.

These differences indicate that the specificity with which technologies are defined is an important elicitation design characteristic to consider. We find no evidence that the method of administering the survey (in-person) has a significant impact on costs, although our analyses have low power since so few observations involved in-person interviews. We do see that the uncertainty range decreases when the elicitation was administered in-person when compared to online, although it is possible that differences in the background information of the survey or the online displays have contributed to this. Finally, even though academic experts had lower estimates of costs, their uncertainty ranges were not different from those of industry and public institution experts.

We also find strong evidence that public RD&D investments present decreasing marginal returns. This indicates that when experts assess the impact of RD&D on cost their mental model includes considerations of depletion of improvement opportunities within a limited period of time.

Overall, this study shows quantitatively the importance of expert selection and elicitation design and of the need to increase transparency in modeling and policy analysis exercises about the source of technology assumptions. More precise estimates are likely to become available as a larger body of elicitation study results is included into this type of analysis. The RD&D elasticity estimates condense the literature available and could be used in modeling exercises. This work also provides a condensed view of central estimates that may be useful directly for research program managers and policy makers. On average, a doubling of public RD&D is expected to result in cost reductions around 8% in 2030, but uncertainty is very large. Overall, these insights regarding future costs, their uncertainty, the expected returns to public RD&D, and the

importance of the source of estimates are important for more efficient and transparent analysis about technology strategies to meet climate challenges.

Acknowledgements

The authors thank Ahmed Abdulla, Inês Azevedo, and Granger Morgan at CMU, Valentina Bosetti at FEEM, and Erin Baker at U. Massachusetts for providing us with the results from their elicitations. This work was supported by funding from the Doris Duke Charitable Foundation, the Science, Technology and Public Policy program at the Harvard Kennedy School, and the Wisconsin Alumni Research Foundation. Elena Verdolini gratefully acknowledges funding from the European Research Council under the European Community's Seventh Framework Programme (FP7/2007-2013)/ERC, grant agreements no. 240895 – project ICARUS "Innovation for Climate Change Mitigation: a Study of energy R&D, its Uncertain Effectiveness and Spillovers" – and no. 308481- Project ENTRACTE "Economic iNsTRuments to Achieve Climate Targets in Europe". We also thank two anonymous reviewers for helpful comments.

References

- Abdulla A, Azevedo I L and Morgan M G In press Expert elicitation of the cost of small modular nuclear reactors *Proceedings of the National Academy of Sciences*
- Anadon L D, Bosetti V, Bunn M, Catenacci M and Lee A 2012 Expert Judgments about RD&D and the Future of Nuclear Energy *Environmental Science & Technology* **46** 11497-504
- Anadon, L D, Bosetti, V, Bunn, M, Catenacci, M, Lee, A 2011. International Workshop on Research, Development, and Demonstration to Enhance the Role of Nuclear Energy in Meeting Climate and Energy Challenges. *ICARUS Project, Fondazione Eni Enrico Matti; Energy Research, Development, Demonstration, and Deployment (ERD3) Policy Project, Belfer Center for Science and International Affairs*, Harvard Kennedy School; International Center for Climate Governance. Harvard Kennedy School, Cambridge, MA, United States; FEEM, Milan, Italy. Available at: http://belfercenter.ksg.harvard.edu/publication/21106/
- Anadon L D, Bunn M, Chan G, Chan M, Jones C, Kempener R, Lee A, Logar N and Narayanamurti V 2011 Transforming U.S. Energy Innovation. (Cambridge, MA: Belfer Center for Science and International Affairs, Harvard Kennedy School)
- Apostolakis G 1990 The concept of probability in safety assessments of technological systems Science 250 1359-64
- Arrow K 1962 The Economic Implications of Learning by Doing *The Review of Economic Studies* **29** 155-73
- Baker E, Chon H and Keisler J 2009a Advanced solar R&D: Combining economic analysis with expert elicitations to inform climate policy *Energy Economics* **31** S37-S49
- Baker E, Chon H and Keisler J 2009b Carbon capture and storage: combining economic analysis with expert elicitations to inform climate policy *Climatic Change* **96** 379-408
- Baker E and Keisler J M 2011 Cellulosic biofuels: Expert views on prospects for advancement *Energy* **36** 595-605
- Blanford G J 2009 R&D investment strategy for climate change *Energy Economics* **31** S27-S36
- Bodde D L 1977 Riding the experience curve Engineering Management Review, IEEE 5 29-35
- Bosch M, Lederman D and Maloney W F 2005 Patenting and Research and Development: A Global View. (Washington D.C., United States: The World Bank)
- Bosetti V, Catenacci M, Fiorese G and Verdolini E 2012 The future prospect of PV and CSP solar technologies: An expert elicitation survey *Energy Policy* **49** 308-17

- Chan G, Anadon L D, Chan M and Lee A 2011 Expert elicitation of cost, performance, and {RD\&D} budgets for coal power with {CCS} *Energy Procedia* 4 2685-92
- Clemen R T and Reilly T 2001 *Making hard decisions with Decision Tools* (Pacific Grove, CA: Duxbury)
- Cooke R and Goossens L 2004 Expert judgement elicitation for risk assessments of critical infrastructures *Journal of Risk Research* 7 643-56
- Cooke R L 1991 Experts in Uncertainty: Opinion and Subjective Probability in Science (New York: Oxford University Press)
- Curtright A E, Morgan M G and Keith D W 2008 Expert Assessments of Future Photovoltaic Technologies *Environmental Science* \& *Technology* **42** 9031-8
- Dalkey N C 1969 The Delphi method: An experimental study of group opinion. The Rand Corporation)
- Evenson R E 1984 *R&D*, patents and productivity, ed Z Griliches (Chicago, IL, United States: University of Chicago Press) pp 89-126
- Evenson R E and Kislev Y 1976 A stochastic model of applied research *The Journal of Political Economy* 265-81
- Goldemberg J, Coelho S T, Nastari P M and Lucon O 2004 Ethanol learning curve the Brazilian experience *Biomass and Bioenergy* **26** 301-4
- Grubler A, Nakicenovic N and Victor D G 1999 Dynamics of Energy Technologies and Global Change *Energy Policy* **27** 247-80
- Hall B H, Mairesse J and Mohnen P 2009 Measuring the Returns to {R\&D} *National Bureau of Economic Research Working Paper Series* **No. 15622**
- Hogarth R M 1987 Judgement and choice the psychology of decision. (Chichester [West Sussex]; New York: Wiley)
- Junginger M, Faaij A and Turkenburg W C 2005 Global experience curves for wind farms Energy Policy 33 133-50
- Keeney R L and Winterfeldt D V 1991 Eliciting probabilities from experts in complex technical problems *Transactions on Engineering Management* Vol. 38 191-201
- Klaassen G, Miketa A, Larsen K and Sundqvist T 2005 The impact of {R\&D} on innovation for wind energy in {Denmark, Germany and the United Kingdom} *Ecological Economics* **54** 227-40
- Kortum S S 1997 Research, patenting, and technological change *Econometrica* **65** 1389-419
- Kouvaritakis N, Soria A and Isoard S 2000 Modelling energy technology dynamics: methodology for adaptive expectations models with learning by doing and learning by searching *International Journal of Global Energy Issues* **14** 104 15
- Meyer M A and Booker J M 1991 *Eliciting and Analysing Expert Judgment: A Practical Guide* (London: Academic Press Ltd.)
- Morgan G and Henrion M 1990 *Uncertainty: A guide to dealing with uncertainty in quantitative risk and policy analysis* (Cambridge: Cambridge University Press)
- Nakicenovic N and Riahi K 2002 An Assessment of Technological Change Across Selected Energy Scenarios. IIASA)
- Nordhaus W 2008 A Question of Balance: Weighing the Options on Global Warming Policies: Yale University Press)
- NRC 2001 Energy Research at DOE: Was It Worth It? Energy Efficiency and Fossil Energy Research 1978 to 2000 (Washington, DC: National Academies Press)
- NRC 2007 Prospective Evaluation of Applied Energy Research and Development at DOE (Phase Two) (Washington: The National Academies Press)
- Phillips L D 1999
- Popp D 2002 Induced innovation and energy prices American Economic Review 92 160-80

- Popp D, Santen N, Fisher-Vanden K and Webster M 2012 Technology Variation vs. R\&D Uncertainty: What Matters Most for Energy Patent Success? *National Bureau of Economic Research Working Paper Series* No. 17792
- Raiffa H 1968 Decision analysis: introductory lectures on choices under uncertainty (Oxford: Addison-Wesley)
- Segerstrom P S 1998 Endogenous Growth without Scale Effects *American Economic Review* **88** 1290-310
- Soderholm P and Klaassen G 2007 Wind power in Europe: a simultaneous innovation: a diffusion model *Environmental and Resource Economics* **36** 163-90
- Tassey G 2003 Methods for Assessing the Economic Impacts of Government R\&D. (Washington: National Institute of Standards and Technology)
- Walls L and Quigley J 2001 Building prior distributions to support Bayesian reliability growth modelling using expert judgement *Reliability Engineering and System Safety* **74** 117-28

NOTE DI LAVORO DELLA FONDAZIONE ENI ENRICO MATTEI

Fondazione Eni Enrico Mattei Working Paper Series

Our Note di Lavoro are available on the Internet at the following addresses:
http://www.feem.it/getpage.aspx?id=73&sez=Publications&padre=20&tab=1
http://papers.ssrn.com/sol3/JELJOUR_Results.cfm?form_name=journalbrowse&journal_id=266659 http://ideas.repec.org/s/fem/femwpa.html
http://www.econis.eu/LNG=EN/FAM?PPN=505954494 http://ageconsearch.umn.edu/handle/35978 http://www.bepress.com/feem/

NOTE DI LAVORO PUBLISHED IN 2013

		NOTE DI LAVORO PUBLISHED IN 2015
CCSD	1.2013	Mikel Bedayo, Ana Mauleon and Vincent Vannetelbosch: <u>Bargaining and Delay in Trading Networks</u>
CCSD	2.2013	Emiliya Lazarova and Dinko Dimitrov: Paths to Stability in Two-sided Matching with Uncertainty
CCSD	3.2013	Luca Di Corato and Natalia Montinari: Flexible Waste Management under Uncertainty
CCSD	4.2013	Sergio Currarini, Elena Fumagalli and Fabrizio Panebianco: Games on Networks: Direct Complements and
		Indirect Substitutes
ES	5.2013	Mirco Tonin and Michael Vlassopoulos: Social Incentives Matter: Evidence from an Online Real Effort
LS	3.2013	Experiment
CCSD	6.2013	
		Mare Sarr and Tim Swanson: Corruption and the Curse: The Dictator's Choice
CCSD	7.2013	Michael Hoel and Aart de Zeeuw: <u>Technology Agreements with Heterogeneous Countries</u>
CCSD	8.2013	Robert Pietzcker, Thomas Longden, Wenying Chen, Sha Fu, Elmar Kriegler, Page Kyle and Gunnar Luderer:
		Long-term Transport Energy Demand and Climate Policy: Alternative Visions on Transport Decarbonization
		in Energy Economy Models
CCSD	9.2013	Walid Oueslati: Short and Long-term Effects of Environmental Tax Reform
CCSD	10.2013	Lorenza Campagnolo, Carlo Carraro, Marinella Davide, Fabio Eboli, Elisa Lanzi and Ramiro Parrado: <u>Can</u>
		Climate Policy Enhance Sustainability?
CCSD	11.2013	William A. Brock, Anastasios Xepapadeas and Athanasios N. Yannacopoulos: Robust Control of a Spatially
		Distributed Commercial Fishery
ERM	12.2013	Simone Tagliapietra: Towards a New Eastern Mediterranean Energy Corridor? Natural Gas Developments
Litan	12.2010	Between Market Opportunities and Geopolitical Risks
CCSD	13.2013	Alice Favero and Emanuele Massetti: Trade of Woody Biomass for Electricity Generation under Climate
CCSD	13.2013	
CCCD	14 2012	Mitigation Policy
CCSD	14.2013	Alexandros Maziotis, David S. Saal and Emmanuel Thanassoulis: <u>A Methodology to Propose the X-Factor in</u>
		the Regulated English and Welsh Water And Sewerage Companies
CCSD	15.2013	Alexandros Maziotis, David S. Saal and Emmanuel Thanassoulis: Profit, Productivity, Price and Quality
		Performance Changes in the English and Welsh Water and Sewerage Companies
CCSD	16.2013	Caterina Cruciani, Silvio Giove, Mehmet Pinar and Matteo Sostero: Constructing the FEEM Sustainability
		Index: A Choquet-integral Application
CCSD	17.2013	Ling Tang, Qin Bao, ZhongXiang Zhang and Shouyang Wang: <u>Carbon-based Border Tax Adjustments and</u>
		China's International Trade: Analysis based on a Dynamic Computable General Equilibrium Model
CCSD	18.2013	Giulia Fiorese, Michela Catenacci, Valentina Bosetti and Elena Verdolini: The Power of Biomass: Experts
		Disclose the Potential for Success of Bioenergy Technologies
CCSD	19.2013	Charles F. Mason: <u>Uranium and Nuclear Power: The Role of Exploration Information in Framing Public</u>
CCSD	13.2013	Policy
ES	20.2013	Nuno Carlos Leitão: <u>The Impact of Immigration on Portuguese Intra-Industry Trade</u>
CCSD	21.2013	
		Thierry Bréchet and Henry Tulkens: Climate Policies: a Burden or a Gain?
ERM	22.2013	Andrea Bastianin, Marzio Galeotti and Matteo Manera: <u>Biofuels and Food Prices: Searching for the Causal</u>
		<u>Link</u>
ERM	23.2013	Andrea Bastianin, Marzio Galeotti and Matteo Manera: Food versus Fuel: Causality and Predictability in
		<u>Distribution</u>
ERM	24.2013	Anna Alberini, Andrea Bigano and Marco Boeri: Looking for Free-riding: Energy Efficiency Incentives and
		<u>Italian Homeowners</u>
CCSD	25.2013	Shoibal Chakravarty and Massimo Tavoni: Energy Poverty Alleviation and Climate Change Mitigation: Is
		There a Trade off?
ERM	26.2013	Manfred Hafner and Simone Tagliapietra: East Africa: The Next Game-Changer for the Global Gas Markets?
CCSD	27.2013	Li Ping, Yang Danhui, Li Pengfei, Ye Zhenyu and Deng Zhou: A Study on Industrial Green Transformation in
3332		China
CCSD	28.2013	Francesco Bosello, Lorenza Campagnolo, Carlo Carraro, Fabio Eboli, Ramiro Parrado and Elisa Portale:
CCSD	20.2013	
CCSD	29.2013	Macroeconomic Impacts of the EU 30% GHG Mitigation Target Stéphane Hallegatte: An Exploration of the Link Between Development, Economic Growth, and Natural Risk
CCSD		
CCSD	30.2013	Klarizze Anne Martin Puzon: Cost-Reducing R&D in the Presence of an Appropriation Alternative: An
6665	24 6246	Application to the Natural Resource Curse
CCSD	31.2013	Johannes Emmerling and Massimo Tavoni: Geoengineering and Abatement: A 'flat' Relationship under
		<u>Uncertainty</u>

ERM	32.2013	Marc Joëts: Heterogeneous Beliefs, Regret, and Uncertainty: The Role of Speculation in Energy Price
ES	33.2013	Dynamics Carlo Altomonte and Armando Rungi: Business Groups as Hierarchies of Firms: Determinants of Vertical
CCSD	34.2013	Integration and Performance Joëlle Noailly and Roger Smeets: Directing Technical Change from Fossil-Fuel to Renewable Energy
CCSD	35.2013	Innovation: An Empirical Application Using Firm-Level Patent Data Francesco Bosello, Lorenza Campagnolo and Fabio Eboli: Climate Change and Adaptation: The Case of
CCSD	36.2013	Nigerian Agriculture Andries Richter, Daan van Soest and Johan Grasman: <u>Contagious Cooperation, Temptation, and Ecosystem</u>
CCSD	37.2013	<u>Collapse</u> Alice Favero and Robert Mendelsohn: <u>Evaluating the Global Role of Woody Biomass as a Mitigation</u>
CCSD	38.2013	Strategy Enrica De Cian, Michael Schymura, Elena Verdolini and Sebastian Voigt: Energy Intensity Developments in
ES	39.2013	40 Major Economies: Structural Change or Technology Improvement? Nuno Carlos Leitão, Bogdan Dima and Dima (Cristea) Stefana: Marginal Intra-industry Trade and
CCSD	40.2013	Adjustment Costs in Labour Market Stergios Athanassoglou: Robust Multidimensional Welfare Comparisons: One Vector of Weights, One Vote
CCSD	41.2013	Vasiliki Manousi and Anastasios Xepapadeas: Mitigation and Solar Radiation Management in Climate
		Change Policies
CCSD	42.2013	Y. Hossein Farzin and Ronald Wendner: <u>Saving Rate Dynamics in the Neoclassical Growth Model</u>
CCCD	10.0010	Hyperbolic Discounting and Observational Equivalence
CCSD	43.2013	Valentina Bosetti and Elena Verdolini: Clean and Dirty International Technology Diffusion
CCSD	44.2013	Grazia Cecere, Susanna Mancinelli and Massimiliano Mazzanti: Waste Prevention and Social Preferences:
EDA 4	45 2042	The Role of Intrinsic and Extrinsic Motivations
ERM	45.2013	Matteo Manera, Marcella Nicolini and Ilaria Vignati: <u>Futures Price Volatility in Commodities Markets: The</u>
ERM	46.2013	Role of Short Term vs Long Term Speculation Lion Hirth and Inka Ziegenhagen: Control Power and Variable Renewables A Glimpse at German Data
CCSD	47.2013	Sergio Currarini and Francesco Feri: <u>Information Sharing Networks in Linear Quadratic Games</u>
CCSD	48.2013	Jobst Heitzig: Bottom-Up Strategic Linking of Carbon Markets: Which Climate Coalitions Would Farsighted
CCSD	40.2013	Players Form?
CCSD	49.2013	Peter Coles and Ran Shorrer: Optimal Truncation in Matching Markets
CCSD	50.2013	Heinrich H. Nax, Bary S. R. Pradelski and H. Peyton Young: The Evolution of Core Stability in Decentralized
		Matching Markets
CCSD	51.2013	Manuel Förster, Michel Grabisch and Agnieszka Rusinowsk: <u>Anonymous Social Influence</u>
CCSD	52.2013	Nizar Allouch: The Cost of Segregation in Social Networks
ES	53.2013	Fulvio Fontini, Katrin Millock and Michele Moretto: <u>Investments in Quality, Collective Reputation and Information Acquisition</u>
ES	54.2013	Roberta Distante, Ivan Petrella and Emiliano Santoro: <u>Asymmetry Reversals and the Business Cycle</u>
CCSD	55.2013	Thomas Michielsen: Environmental Catastrophes under Time-Inconsistent Preferences
ERM	56.2013	Arjan Ruijs and Herman Vollebergh: <u>Lessons from 15 Years of Experience with the Dutch Tax Allowance for</u>
		Energy Investments for Firms
ES	57.2013	Luciano Mauro and Francesco Pigliaru: Decentralization, Social Capital and Regional Convergence
CCSD	58.2013	Alexandros Maziotis, Elisa Calliari and Jaroslav Mysiak: Robust Institutions for Sustainable Water Markets:
CCSD	50 2012	A Survey of the Literature and the Way Forward Enrica De Cian, Fabio Sferra and Massimo Tavoni: The Influence of Economic Growth, Population, and
CCSD	59.2013	Fossil Fuel Scarcity on Energy Investments
CCSD	60.2013	Fabio Sferra and Massimo Tavoni: <u>Endogenous Participation in a Partial Climate Agreement with Open</u>
CCSD	00.2013	Entry: A Numerical Assessment
ES	61.2013	Daniel Atzori: The Political Economy of Oil and the Crisis of the Arab State System
ERM	62.2013	Julien Chevallier and Benoît Sévi: A Fear Index to Predict Oil Futures Returns
CCSD	63.2013	Dominik Karos: Bargaining and Power
CCSD	64.2013	Carlo Fezzi, Ian J. Bateman, and Silvia Ferrini: Estimating the Value of Travel Time to Recreational Sites
		<u>Using Revealed Preferences</u>
ES	65.2013	Luca Di Corato, Michele Moretto and Sergio Vergalli: Long-run Investment under Uncertain Demand
ES	66.2013	Michele Moretto, Paolo Panteghini and Sergio Vergalli: <u>Tax Competition, Investment Irreversibility and the</u>
		Provision of Public Goods
CCSD	67.2013	Dennis Guignet and Anna Alberini: Can Property Values Capture Changes in Environmental Health Risks?
EC	60.2012	Evidence from a Stated Preference Study in Italy and the UK
ES	68.2013	William Brock, Anastasios Xepapadeas and Athanasios Yannacopoulos: <u>Adjustment Costs and Long Run</u>
ES	69.2013	Spatial Agglomerations Sasan Bakhtiari, Antonio Minniti and Alireza Naghavi: Multiproduct Multinationals and the Quality of
LJ	02.2013	Innovation
CCSD	70.2013	Rafael González-Val and Fernando Pueyo: <u>Trade Liberalisation and Global-scale Forest Transition</u>
CCSD	71.2013	Elena Claire Ricci: Smart-Grids and Climate Change. Consumer adoption of smart energy behaviour: a
2 200		system dynamics approach to evaluate the mitigation potential
CCSD	72.2013	Valentina Bosetti and Marco Maffezzoli: <u>Taxing Carbon under Market Incompleteness</u>
CCSD	73.2013	Francesco Silvestri, Stefano Ghinoi and Vincenzo Barone: Nautical Tourism, Carrying Capacity and
		Environmental Externality in the Lagoon of Marano and Grado

CCSD	74.2013	Herman R.J. Vollebergh and Edwin van der Werf: <u>The Role of Standards in Eco-innovation: Lessons for Policymakers</u>
ES	75.2013	Gérard Mondello: Ambiguous Beliefs on Damages and Civil Liability Theories
CCSD	76.2013	Roberto Antonietti and Alberto Marzucchi: Green Investment Strategies and Export Performance: A Firm-
		level Investigation
CCSD	77.2013	A.K.S. Chand, Sergio Currarini and Giovanni Ursino: Cheap Talk with Correlated Signals
CCSD	78.2013	Ebru A. Gencer: An Overview of Urban Vulnerability to Natural Disasters and Climate Change in Central
		America & the Caribbean Region
CCSD	79.2013	Libo Wu, Changhe Li, Haoqi Qian and ZhongXiang Zhang: <u>Understanding the Consumption Behaviors on</u>
		Electric Vehicles in China - A Stated Preference Analysis
ES	80.2013	Andries Richter and Johan Grasman: The Transmission of Sustainable Harvesting Norms When Agents Are
		Conditionally Cooperative
CCSD	81.2013	Jonathan Colmer: Climate Variability, Child Labour and Schooling: Evidence on the Intensive
		and Extensive Margin
ERM	82.2013	Anna Alberini, Will Gans and Charles Towe: Free Riding, Upsizing, and Energy Efficiency Incentives in
		Maryland Homes
CCSD	83.2013	Inge van den Bijgaart, Reyer Gerlagh, Luuk Korsten and Matti Liski: <u>A Simple Formula for the Social Cost of</u>
		<u>Carbon</u>
CCSD	84.2013	Elena Claire Ricci: An Integrated Assessment of Super & Smart Grids
CCSD	85.2013	Laura Diaz Anadon, Gregory Nemet and Elena Verdolini: The Future Costs of Nuclear Power Using Multiple
		Expert Elicitations: Effects of RD&D and Elicitation Design