

NOTA DI LAVORO

27.2014

European Energy Efficiency and Decarbonization Strategies Beyond 2030 – A Sectoral Multi-model Decomposition

By **Hannah Förster**, Öko-Institut e.V.,
Germany

Katja Schumacher, Öko-Institut e.V.,
Germany

Enrica De Cian, Fondazione Eni Enrico Mattei
(FEEM), Italy and Centro Mediterraneo per i
Cambiamenti Climatici (CMCC), Italy

Michael Hübler, Centre for European
Economic Research, Mannheim, Germany

Ilkka Keppo, University College London, UCL
Energy Institute, UK

Silvana Mima, PACTE-EDDEN-CNRS-UPMF,
France

Ronald D. Sands, U.S. Department of
Agriculture, Economic Research Service,
USA

Climate Change and Sustainable Development

Series Editor: Carlo Carraro

European Energy Efficiency and Decarbonization Strategies Beyond 2030 – A Sectoral Multi-model Decomposition

By Hannah Förster, Öko-Institut e.V., Germany

Katja Schumacher, Öko-Institut e.V., Germany

Enrica De Cian, Fondazione Eni Enrico Mattei (FEEM), Italy and Centro Mediterraneo per i Cambiamenti Climatici (CMCC), Italy

Michael Hübler, Centre for European Economic Research, Mannheim, Germany

Ilkka Keppo, University College London, UCL Energy Institute, UK

Silvana Mima, PACTE-EDDEN-CNRS-UPMF, France

Ronald D. Sands, U.S. Department of Agriculture, Economic Research Service, USA

Summary

Energy efficiency and decarbonization are important elements of climate change mitigation. We draw on European mitigation scenarios from the EMF28 modeling exercise to decompose economy-wide and sectoral emissions into their main components. We utilize the Logarithmic Mean Divisia Index (LMDI) to gain insights into five effects: affluence, energy intensity, carbon intensity, conversion efficiency, and structural change. Economy-wide analysis suggests that energy efficiency improvements (including end-use efficiency of economic production and structural change of the economy) determine emission reductions short to medium term while decarbonization becomes more important in the long run. Sectoral analysis suggests that electricity generation holds the largest potential for decarbonization. Mitigation in the transport and energy-intensive sectors is limited by technology availability, forcing output and energy inputs to decline to meet the given mitigation pathways. We conclude that energy efficiency improvements could bridge the time until carbon-free technologies mature, while their quick development remains essential.

Keywords: Decomposition Analysis, Decarbonization, Model Intercomparison

JEL Classification: Q4, Q5, Q51

The views expressed in this document are the sole personal responsibility of the authors and do not reflect those of their institutions or affiliation. Any errors or omissions remain the responsibility of the authors.

This is a pre-print version of the article "European Energy Efficiency and Decarbonization Strategies Beyond 2030 - A Sectoral Multi-model Decomposition" published in Climate Change Economics, 04, 1340004 (2013), doi: 10.1142/S2010007813400046.

Address for correspondence:

Hannah Förster
Öko-Institut e.V.
Schicklerstrasse 5-7
10179 Berlin
Germany
E-mail: h.foerster@oeko.de

European energy efficiency and decarbonization strategies beyond 2030 – A sectoral multi-model decomposition

Hannah Förster^{a1}, Katja Schumacher^a, Enrica De Cian^b, Michael Hübler^c, Ilkka Keppo^d, Silvana Mima^e,
Ronald D. Sands^f

a Öko-Institut e.V., Germany

b Fondazione Eni Enrico Mattei (FEEM), Italy and Centro Mediterraneo per i Cambiamenti Climatici (CMCC), Italy

c Centre for European Economic Research, Mannheim, Germany

d University College London, UCL Energy Institute, UK

e PACTE-EDDEN-CNRS-UPMF, France

f U.S. Department of Agriculture, Economic Research Service, USA

Abstract

Energy efficiency and decarbonization are important elements of climate change mitigation. We draw on European mitigation scenarios from the EMF28 modeling exercise to decompose economy-wide and sectoral emissions into their main components. We utilize the Logarithmic Mean Divisia Index (LMDI) to gain insights into five effects: affluence, energy intensity, carbon intensity, conversion efficiency, and structural change. Economy-wide analysis suggests that energy efficiency improvements (including end-use efficiency of economic production and structural change of the economy) determine emission reductions short to medium term while decarbonization becomes more important in the long run. Sectoral analysis suggests that electricity generation holds the largest potential for decarbonization. Mitigation in the transport and energy-intensive sectors is limited by technology availability, forcing output and energy inputs to decline to meet the given mitigation pathways. We conclude that energy efficiency improvements could bridge the time until carbon-free technologies mature, while their quick development remains essential.

Keywords: decomposition analysis, decarbonization, model intercomparison

The views expressed in this document are the sole personal responsibility of the authors and do not reflect those of their institutions or affiliation. Any errors or omissions remain the responsibility of the authors.

¹ Corresponding author: Hannah Förster, h.foerster@oeko.de

1 Introduction

In 2011, the European Commission presented its European Roadmap for moving to a low-carbon economy in 2050 (European Commission 2011). With the support of economic analysis it suggests a cost-efficient transition pathway for Europe which is roughly consistent with a global 2°C target. The strategy envisages a reduction of European Union (EU) domestic greenhouse gas emissions of 80% by 2050 (relative to 1990 levels), with interim reduction targets of 40% by 2030 and 60% by 2040. It is expected that emissions will be reduced by improving energy efficiency, by at least 20%, and by investing in new and cleaner energy infrastructures.

There is a general agreement on the greater mitigation potential of some sectors, e.g. the potential of the power sector as opposed to the transport sector, known to be the hurdle in the decarbonization process, (Knopf et al. 2013). But prior studies neither provide a precise assessment of the role played by different factors, nor do they discuss the extent to which economic growth will need to be offset by efficiency improvements and decarbonization, and how the contribution of these drivers varies over time, with policy and technological change, and across models.

Prior modeling comparison exercises have demonstrated that there are a number of possible mitigation options which can achieve emission reduction targets in a cost-effective way, but the focus has been on the global level, on the U.S., and on China, but not on Europe. (Weyant 2004; Clarke et al. 2009; Edenhofer et al. 2010; Calvin et al. 2012; Luderer et al. 2013)

The Energy Modeling Forum EMF-28 modeling comparison exercise is the first multi-model analysis of the European Roadmap, and the results from the participating models offer the possibility of carrying out a comparison on the economic and energy transformation required to achieve the EU-wide 40% and 80% emission reduction target by 2050. In modeling comparison exercises the comparability of different drivers across models is not always straightforward because models are often not harmonized and therefore policy scenario outcomes can only be interpreted as conditional upon the corresponding baseline scenario (Blanford et al. 2012). If models are not harmonized, it becomes difficult to compare direct results across different models. In this context, decomposition techniques provide a useful approach in two ways: a) they help to translate the values of specific emission drivers (such as energy intensity) into what their value at one point in time would mean in terms of changes of CO₂ emissions compared to a reference (base year emissions or emissions of another scenario); and b) they allow the contribution of different drivers to total emission changes to be identified. If such a comparison is accomplished across models, it becomes possible to compare and assess how changes in one component, including economic growth, are compensated by adjustments in other components and how this behavior differs across models.

Introduced in the late 1970s to study the impact of structural change on energy use in industry, index decomposition analysis has been extended and used in several other application areas for policy making (Ang, 2004). It has been applied to study historical trends and the studies generally quantify the relative contributions of the impacts of structural change and change in energy intensity. For example, (Liaskas et al. 2000) use decomposition analysis for assessing the progress in decoupling industrial growth from CO₂ emissions in the EU manufacturing sector. (Xu et al. 2012) employ the

LMDI decomposition to analyze historical CO₂ emissions in China's cement industry and Zhang et al. (2013) apply the same method to decompose CO₂ emissions from electricity generation in China during the 1991–2009 period. (De Cian, Schymura, et al. 2013) use LMDI to explore the interplay between structural change and efficiency improvements between 1995 and 2007 in forty different countries, including the European member states. The study highlights a general improvement in energy efficiency in all countries. Although the time profile and drivers of the changes are country-specific, with large heterogeneities even within Europe, Eastern European countries stand out for the significant role played by the structural effect (the shift toward less energy-intensive industries), as also suggested by other studies (Mendiluce et al. 2010; Mulder & de Groot 2012). (Diakoulaki et al. 2006) use the Laspeyres method to decompose sectoral energy related emissions for the 1990 – 2002 period. (Shrestha et al. 2009) use the Log-Mean Divisia Index method to decompose and analyze the CO₂ emissions of the power sector for fifteen countries in Asia and in the Pacific for the 1980-2004 period. By 2000 more than a hundred studies have adopted decomposition approaches in the environmental field (Ang & Zhang 2000).

While the examples above focus on retrospective analyses, decomposition approaches have recently started to become tools for prospective analyses such as analyzing model-based projections or for assisting in the generation of scenarios. For example, (Fisher-Vanden et al. 2012) analyze the drivers of CO₂ emissions growth under various sets of energy supply technologies using scenarios from the general equilibrium model named Phoenix. They set up a decomposition approach using chained growth rates to improve comparability across scenarios at a point in time when these have been decomposed over time. A set of studies develops model-based marginal abatement cost curves for the UK (Kesicki 2012a; Kesicki 2012b; Kesicki 2013) using LMDI decomposition and (Kesicki & Anandarajah 2011) focus on the role of demand reductions in a global context.

(Bellevrat 2012) utilizes the additive LMDI decomposition approach to gain insights and to compare 18 published energy emission scenarios for China. Steckel et al. (2011) decompose Chinese historical and future emissions generated by an Integrated Assessment Model projection using the Laspeyres method. Hübler & Steckel (2012) apply the same methodology to emission projections generated by an Integrated Assessment Model with directed technical progress. (Sands & Schumacher 2008) conduct an economic comparison of greenhouse gas mitigation options in Germany both over time and across scenarios at a specific point of time using LMDI decomposition. (Steenhof 2007) uses the Laspeyres method to decompose historical emissions and to generate baseline emissions for China's electricity sector up to 2020. His approach, in turn, was influenced by the work of (Nag & Parikh 2005), who used historical Divisia decomposition analysis to produce baseline scenarios for the Indian power sector.

While some of the papers found in the literature also focus on comparing scenarios amongst each other, the source for comparison is often one specific model (e.g. (Fisher-Vanden et al. 2012; Kesicki & Anandarajah 2011; Steckel et al. 2011; Hübler & Steckel 2012)).

(Bellevrat 2012) compares emissions from scenario output based on different models exercises and gains insights into robust patterns to be observed across scenarios (and thus implicitly also model differences). This paper undertakes an approach similar to (Bellevrat 2012) and contributes to the literature by adopting LMDI decomposition. The aims are to a) analyze the relative importance of

various drivers for emission reductions in the EU-27; and to b) compare the importance of these drivers across the output of several models which were part of the EMF28 modeling comparison exercise in order to gain insights into robust patterns and model specific outcomes which can be relevant for policy making.

The remainder of the paper is organized as follows. Section 2 describes the scenario set-up for the analyses and Section 3 presents the adopted methodology. Section 4 introduces the results and Section 5 provides a discussion of results and policy relevance.

2 Experiment design and scenario set-up

The EMF28 scenarios explore different international policy regimes as well as variations along various technology paths, which have been explored in other papers of this special issue ((De Cian, Keppo, et al. 2013) and (Knopf et al. 2013) respectively).

This paper explores the structural consequences of Europe being relatively more ambitious with respect to climate policy compared to other countries, which implement only moderate policies (see Luderer et al. 2012 (submitted))². These are also the scenarios which have the highest degree of policy asymmetry (among the scenarios considered in the exercise) and therefore provide a sort of extreme case in terms of structural changes. As observed in (De Cian, Schymura, et al. 2013), when other countries implement more stringent climate policies in line with the European effort, the economic conditions of the reference case tend to be restored.

The subset of EMF28 scenarios³ considered in this paper are characterized by different levels of European mitigation ambition (40% in the reference case and 80% in the mitigation case, both compared to 1990) and by different assumptions on energy efficiency improvements (default (DEF), and more ambitious (EFF)).

In the mitigation scenarios considered, in which it implements relatively more ambitious climate policies compared to other countries, Europe increases its emission reduction target from 40% to 80% (by 2050 with respect to 1990).

In the following we consider two situations under different emission reduction targets: The first is characterized by default improvements in energy efficiency (40% DEF and 80% DEF), and the second by faster improvement rates (40% EFF and 80% EFF).

The analysis is based on ten of the participating energy and economic models, the main characteristics of which are summarized in Table 1. Models differ in terms of the geographic coverage (global vs. Europe), in the treatment of the time dimension (recursive vs. optimization), and in the sectoral coverage (all commodities, one aggregate economic sector and energy, energy, and electricity). This implies that not all models' output can be decomposed with the same degree of detail and therefore different decomposition methods are applied (see Section 3).

² The moderate policy scenarios for the rest of the world are taken from the *WeakPol* scenario of the RoSE project (Luderer et al. 2012 (submitted)). It reflects existing climate policies, a weak interpretation of the 2020 Copenhagen Pledges, and an extrapolation of these targets beyond 2020 based on emissions intensity (GHG emissions per unit of GDP). There is no international cooperation and international carbon trading is excluded.

³ For a detailed list of EMF28 scenarios please see (Knopf et al. 2013)

Table 1 Overview of models from the EMF28 comparison exercise used for the decomposition analysis

Model	Economic coverage	Geographic coverage (number EU regions)	Inter-temporal solution methodology	General solution methodology	Sectoral coverage
EPPA [A]	Full economic coverage in CGE	Global (1)	Recursive dynamic	Market equilibrium	All commodities
FARM EU [B]	Full economic coverage in CGE	Global (5)	Recursive dynamic	Market equilibrium	All commodities
PACE [C]	Full economic coverage in CGE	Global (1)	Recursive dynamic	Market equilibrium	All commodities
MERGE-CPB [D]	Full economic coverage in optimal growth model	Global (1)	Inter-temporal optimization	Optimization	One aggregate economic sector and energy
WITCH [E]	Full economic coverage in optimal growth model	Global (2)	Inter-temporal optimization	Optimization	One aggregate economic sector and energy
POLES [F]	Partial equilibrium model of the energy sector	Global (27)	Recursive dynamic	Market equilibrium	Energy
TIAM-UCL [G]	Partial equilibrium model of the energy sector	Global (3)	Inter-temporal optimization	Optimization	Energy
TIMES-VTT [H]	Partial equilibrium model of the energy sector	Global (4)	Inter-temporal optimization	Optimization	Energy
PRIMES [I]	Partial equilibrium model of the energy sector	EU (25)	Inter-temporal optimization	Market equilibrium	Energy
PET [J]	Partial equilibrium model of the energy sector	EU (25)	Inter-temporal optimization	Optimization	Electricity

[A] (Paltsev et al. 2005; Paltsev et al. 2011) [B] (Sands et al. n.d.) [C](Böhringer & Lange 2003; Böhringer & Löschel 2006; Böhringer et al. 2009); [For this version of PACE 4 was calibrated to EU data up to 2050] (Hübler & Löschel 2013) [D] (Blanford et al. 2009), (Bollen 2013); [E] (Bosetti et al. 2006) (De Cian et al. 2012); [F] (Criqui & Mima 2012); [G] (Anandarajah et al. 2011) ; [H] (Koljonen & Lehtilä 2012); [I](Capros et al. 2012); [J] (Kanudia & Gargiulo 2009)

The broad suite of different models allows distinguishing between robust trends which hold across most types and model-specific results. It is important to clarify that, since the models that participate in the EMF28 modeling exercise are characterized by a large degree of heterogeneity, the implementation of the policy cases and of the higher energy efficiency assumptions necessarily varies across models.

Macroeconomic models, including Computable General Equilibrium models (CGEs), such as EPPA, FARM-EU, PACE, and hybrid optimal growth models, such as MERGE-CPB and WITCH, simulate higher improvements in energy efficiency by increasing the productivity of the energy inputs.

Energy system models, such as TIMES-VTT and TIAM-UCL, implement high energy efficiency scenarios by altering the technical and/or economic characteristics of specific technologies. In TIAM-UCL, for example, these scenarios implement lowered hurdle rates for the end-use technologies with high conversion efficiencies, across the sectors.

Table 2 summarizes all the scenarios considered and the decomposition techniques used, the latter of which are described in Section 3.

Table 2 Overview of the scenarios analyzed in the sections below

Characteristics of scenarios		Decomposition	Decomposition approach	
			Economy-wide	Disaggregated
Stringent mitigation policy against reference policy	Default energy efficiency	80% DEF vs. 40% DEF	X	X
	High energy efficiency	80% EFF vs. 40% EFF	X	X
Higher energy efficiency against lower energy efficiency case	Reference policy	40% EFF vs. 40% DEF	X	
	Stringent mitigation policy	80% EFF vs. 80% DEF	X	

3 Methodology

A decomposition analysis can be used to explain a variable of interest in terms of a whole set of factors/activities which determine the value of this variable. Each decomposition analysis starts with defining a governing function relating the variable of interest (i.e. CO₂ emissions) to a number of causal factors (Ang 2004). There are several ways of approaching a decomposition analysis.

(Ang & Zhang 2000) review the decomposition studies and basically distinguish the Laspeyres index method and the arithmetic Divisia index method. (Ang et al. 2003) describe existing methods of decomposition without residual in the energy and environmental field. (Ang 2004) further evaluates decomposition methods with regard to their appropriateness for policy consulting in the energy and climate change context and concludes that the Logarithmic Mean Divisia Index method (LMDI) is preferable. He elaborates on this method in (Ang 2005). (Cahill & Ó Gallachóir 2010) share his view after evaluating five decomposition methods. In view of this and the application of LMDI decompositions in related studies introduced above, we follow the additive LMDI approach as in (Ang 2005).

First, we provide a simple, economy-wide decomposition of changes in aggregate CO₂ emissions. This enables us to include a wide range of models participating in the EMF28 exercise into the comparison.

Second, we extend our analysis to sectoral detail and highlight which parts of the economy contribute to CO₂ emission reductions in which magnitude. For this purpose we draw information of those sectors from the EMF28 reporting template, for which value added can be reported. This approach does not allow for the inclusion of the residential sectors, as it does not generate value added. Therefore the emission reduction reported in Section 4.2 does not correspond to the emission reduction from the

economy-wide decomposition analysis. Both our analyses focus on the subset of EMF28 scenarios as introduced in Section 2.

We always decompose in two ways: First we decompose over time against each scenario's individual fixed base year (2010). This type of analysis helps to gain insights into the individual effects at a given point in time with relation to past developments.

Second, we decompose across scenarios (one scenario against the emissions of another scenario) *at* a given point in time, i.e. we look into how the difference in emissions between the two scenarios is to be explained. The emissions of one scenario (the less stringent one) serve as a reference point for the other. The decomposition at a point in time can look very different from a decomposition over time as it can help to isolate the impact of a carbon policy.

In this sense, we decompose between i) 80% DEF and 40% DEF, ii) 80% EFF and 40% EFF, iii) 40% EFF and 40% DEF and iv) 80% EFF and 40% EFF (compare Table 2). Decomposition across scenarios answers the question of which factors drive the transition from one mitigation scenario to a more stringent one or how improved energy efficiency might change the structure of the mitigation strategy.

3.1 Economy-wide decomposition of changes in CO₂ emissions

We start by analyzing the relative contributions of economic growth, energy intensity (or reversely energy efficiency) and carbon intensity (decarbonization) to CO₂ emissions or reductions thereof. Based on the IPAT identity developed early on by (Holdren & Ehrlich 1974): Impact = Population * Affluence * Technology, we establish the following simple identity (Kaya 1990):

$$CO_{2,l} = GDP_l * \frac{E_l}{GDP_l} * \frac{CO_{2,l}}{E_l}.$$

We leave population out of the analysis for several reasons:

- Year-on-year changes of CO₂ emissions from energy combustion in the EU-27 are caused only to a minor extent (less than 1%) by population changes (compare (EEA 2013));
- While population is an interesting driver of emissions in a retrospective view, in projections it is given as an external parameter⁴;
- It is kept constant across scenarios and thus carries no additional information for the decomposition across scenarios on which the focus lies in the following; and
- It is not a variable to be influenced by policy, at least not within the system boundaries of our models.

In the following, the index *l* can refer to a specific time or scenario. In our specification, CO₂ emissions are the product of affluence as measured by GDP (*A_l*), energy intensity, as final energy demand per unit GDP (*I_l*) and carbon intensity as carbon emissions per unit of final energy demand (*C_l*) (describing the technology component):

$$CO_{2,l} = A_l * I_l * C_l \tag{1}$$

⁴ GDP is often also given as an external parameter, but several models (such as EPPA, FARM-EU, PACE and WITCH) include endogenously determined GDP which leads to differences across scenarios and thus holds additional value for analysis.

The energy per GDP ratio provides an indication of the aggregate energy intensity or the energy needed to support a unit of economic activity; the CO₂ per energy component provides information on the carbon intensity of the mix of fuels that supply final energy. Changes in the energy per GDP ratio may be caused either by structural changes in the composition of GDP, by technical energy-efficiency improvements or by a reduction in the energy service demands. Changes in the CO₂ per energy component may be brought about by a change in the mix of fuels, for instance from coal to natural gas, or by increased used of end-of-pipe technologies, namely CCS. It thus provides an indicator for the decarbonization of energy use.

Technical energy efficiency-improvements can be achieved through both more efficient end-use of energy and more efficient conversion of primary energy to final energy. In order to account for these different factors, we extend the analysis by breaking up energy intensity into two components: the final use of energy (FE_l) per unit of national output (which includes also the effects of reduced energy service demands) and the primary use of energy (PE_l) per unit of final energy consumption. The above identity (1) therefore changes to:

$$CO_{2,l} = GDP_l * \frac{FE_l}{GDP_l} * \frac{PE_l}{FE_l} * \frac{CO_{2,l}}{PE_l},$$

$$CO_{2,l} = A_l * I_l * U_l * C_l, \quad (2)$$

An increase in the conversion (U_l) efficiency can be due to both a shift in the use of transformed energy versus direct energy (e.g., a decrease in the share of electricity consumption in total energy consumption) and improvements in transformation and distribution of primary energy (such as improvements in the conversion, transmission and distribution of electricity generation, improvements in petroleum refining and increased use of efficient CHP plants). The intensity component (I_l) grasps the effects of structural change in the composition of GDP and from efficiency improvements in the final (end-)use of energy. Accordingly, the change of CO₂ emissions in a given period is then defined as the sum of the affluence effect (ΔA), the energy intensity effect (ΔI), the conversion effect (ΔU) and the carbon intensity effect (ΔC):

$$\Delta CO_{2,l} = \Delta A_l + \Delta I_l + \Delta U_l + \Delta C_l \quad (3)$$

Each effect on the right hand side of equation (3) can be computed analogous to (Ang 2005):

$$\Delta A_l = \frac{CO_{2,l} - CO_{2,0}}{\ln CO_{2,l} - \ln CO_{2,0}} \ln\left(\frac{A_l}{A_0}\right),$$

$$\Delta I_l = \frac{CO_{2,l} - CO_{2,0}}{\ln CO_{2,l} - \ln CO_{2,0}} \ln\left(\frac{I_l}{I_0}\right),$$

$$\Delta U_l = \frac{CO_{2,l} - CO_{2,0}}{\ln CO_{2,l} - \ln CO_{2,0}} \ln\left(\frac{U_l}{U_0}\right),$$

$$\Delta C_l = \frac{CO_{2,l} - CO_{2,0}}{\ln CO_{2,l} - \ln CO_{2,0}} \ln\left(\frac{C_l}{C_0}\right).$$

Index l refers to time or scenario. A 0 value for l refers to 2010 when we decompose over time and to the respective reference scenario at the given point in time when we decompose against another scenario.

3.2 Disaggregated view on the economy - sectoral decomposition

In a next step we aim to disentangle which sectors of the EU-27 (indexed with i) of an economy contribute to the reduction of CO₂ emissions and how this differs across scenarios and models. We extend the governing function introduced above to include information on sectoral value added ($Q_{i,l}$), sectoral final energy demand ($FE_{i,l}$) and CO₂ emissions stemming from sectoral activity ($CO_{2,i,l}$) and yield the following governing function:

$$CO_{2,l} = Q_l * \sum_i \left(\frac{Q_{i,l}}{Q_l} * \frac{FE_{i,l}}{Q_{i,l}} * \frac{CO_{2,i,l}}{FE_{i,l}} \right), \text{ i.e.}$$
$$CO_{2,l} = \sum_i O_{i,l} * S_{i,l} * I_{i,l} * C_{i,l}, \quad (4)$$

$O_{i,l}$ refers to the economic output effect and $S_{i,l}$ refers the structural effect (capturing changes in the structural composition of economic activity). Since the focus is now on the sectors, the last term of equation (4) refers to CO₂ efficiency of final energy in a sector instead of primary energy as in equation (3).

Employing this approach allows us to gain insights into sectoral contributions to emissions, i.e. we are able to disentangle the role of economic output changes and structural changes versus efficiency and decarbonization due to changes in energy technology mix. The sectoral activities that we were able to include in the analysis are agriculture, services, energy intensive industry, non-energy-intensive industry, transport, electricity and 'other sector'. The mapping of activities to sectors was harmonized to the extent possible⁵.

Accordingly, the change of CO₂ emissions in a given period is then defined as the sum of the economic output effect (ΔO_l), the structural effect (ΔS_l), the energy intensity effect (ΔI_l), and the carbon intensity effect (ΔC_l):

$$\Delta CO_{2,l} = \Delta O_l + \Delta S_l + \Delta I_l + \Delta C_l \quad (5)$$

Each effect on the right hand side of equation (4) can be computed analogous to Section 3.1.

4 Results

This section presents the results of the economy-wide and sectoral decomposition methods outlined in the previous section applied to the EU-27. Results are presented with the objective of highlighting both the effect of policy and technology dimensions of the scenarios. Given the growing interest and the lack of assessments on the Roadmap implications beyond 2030 we describe results mainly for 2030 and 2050.

4.1 Economy-wide decomposition

4.1.1 Decomposition across time


This first part of the analysis focuses on decomposing emission changes over time, that is we report changes compared to the base year 2010. The time component identifies the autonomous trends of the scenarios as well as the measures taken to alter those trends. The economy-wide decomposition

⁵ As aggregation schemes differ across models, slight variations might remain which do not impact on our results.

of EU-27 CO₂ emissions over time shows the extent to which the additional emissions that will be caused by economic growth will need to be offset (and more) by structural changes in production and consumption activities.

The black bars in Figure 1, which visualize the results for the 40% DEF scenario, identify the affluence effect. The change in the affluence effect would increase emissions by about 10% a year, if energy and carbon intensity changes do not compensate for this. Median emissions would be about 20% in 2020 and 58% in 2050 above the 2010 values. The upward pressure on emissions induced by the affluence effect will be offset by significant improvements in energy efficiency and decarbonization. In the 40% DEF scenario energy intensity changes on average reduce emissions from 2010 levels by 19%, 35%, and 54% in 2020, 2030, and 2050, respectively, if the effect of changed affluence is not considered for total emissions. Similarly, decarbonization alone would reduce emissions by 7%, 14% and 31%⁶.

Figure 1 Results of decomposition over time for 40% DEF scenario for the EU-27. Base year = 2010. Results normalized to 2010 emissions



Overall, under the 40% reduction goal in the 40% DEF scenario, energy intensity makes the largest contribution to emission reductions, although decarbonization becomes increasingly more important in the long run. The conversion effect plays a rather small role. All models except MERGE-CPB show that conversion efficiency contributes to lowering emissions. In MERGE-CPB primary energy per unit


⁶ These are median numbers computed across the models.

of final energy increases, albeit very slowly⁷. PACE does not distinguish between final and primary energy in terms of energy losses so that the conversion effect does not apply.

The more stringent policy target in the 80% DEF scenario will slow down the emission impact of the growth in affluence (Figure 2), as the link between affluence and emissions becomes less strong. Many models exogenously assume the same GDP trajectory for both scenarios (PET, POLES, PRIMES, TIAM-UCL, TIMES-VTT) and the difference between the affluence effects is therefore purely a result of decoupling economic growth from CO₂ emissions, due to modeling assumptions (as opposed to some of the effect being due to a reduction in affluence, an element discussed in more detail in the next section).

The more stringent policy case significantly increases the contribution of decarbonization of energy use, which is always greater here than in the 40% DEF scenario. In contrast, the reduction in energy intensity (reflecting both the effects from structural change in the composition of GDP and from efficiency improvements in the final (end)-use of energy) is only slightly greater in 2020 and 2030, while in 2050 it contributes to emission reductions less than in the 40% DEF case and is overshadowed by the decarbonization effect. This demonstrates that a strong decarbonization can lead to a decoupling of energy use and emissions: the role of energy efficiency improvement (including structural change) is less important when energy is carbon free.

Figure 2 Results of decomposition over time for 80% DEF scenario for the EU-27. Base year = 2010. Results normalized to 2010 emissions⁸



⁷ Reasons for this may lie in the fact that in MERGE-CPB the share of electricity in the final energy mix increases (e.g. electricity replaces oil) and unlike many models, it utilizes mainly combustion technologies (incl. biomass) for the electricity generation and this share increases in time.

⁸ Note that 80% DEF was unfeasible for TIAM-UCL and is therefore excluded in the following from all figures that show results for this scenario.

4.1.2 Decomposition across scenarios

This section focuses on how the extent of the emission reduction target would change the relative importance of main drivers which influence CO₂ emissions.

Figure 3 highlights the effect of climate policy by comparing the 80% DEF scenario against the 40% DEF scenario for the EU-27. For the majority of the models, the transition to low carbon energy seems to be more “decarbonization” driven (carbon intensity effect), particularly in the long term. This holds in 2050 for all models except the two CGE models FARM-EU and PACE. In CGE models switching to new technologies is constrained by the substitution possibilities embedded in constant elasticity of substitution (CES) functions or supply elasticities. Thus they see a more prominent role for energy efficiency improvements.

Across all models, the carbon intensity effect leads to reductions of around up to 20% of the emissions compared to the 40% DEF emissions in 2030, and increases to over 50% by 2050 in most models.

The results from the decomposition across scenarios in 2050 (compared to what we observe in 2030) suggest that the importance of decarbonization increases – nearly all models exhibit a higher relative (and absolute) contribution for this mitigation component. To be noted is the behavior of EPPA, WITCH and PRIMES, in which energy efficiency is the main strategy in 2030 while decarbonization is the major contributor to emission changes in 2050.

Conversion plays a different role for different models, again at least partially reflecting the different nature of the models; bottom-up models, like TIMES-VTT, tend to increase the use of grid based fuels (e.g. hydrogen, heat, electricity) for final energy, thus implying relatively higher conversion losses on the supply side, whereas less technologically detailed models, such as FARM-EU, focus more on demand reductions. Generally the effect of conversion on emissions is clearly of lesser importance compared to decarbonization and energy efficiency improvements.

The affluence effect cannot be measured for the models that take GDP as exogenously given, namely PET, POLES, PRIMES, TIAM-UCL and TIMES-VTT, but even for the models with endogenous GDP, the impact of GDP change on emissions when moving to a more stringent reduction target is minor.

Figure 3 80% DEF decomposed against 40% DEF. Results normalized to 40% DEF emissions of respective year




Figure 4 shows the results of decomposing scenario 80% EFF vs. scenario 40% EFF. Here, as in the previous decompositions (80% DEF vs. 40% DEF), the two scenarios compared assume different emission targets, but exhibit the same assumptions regarding energy efficiency. In the previous decomposition, 40% DEF vs. 80% DEF, default assumptions are used for efficiency, whereas improved energy efficiency is assumed in both scenarios of this decomposition. Comparing Figure 3 and Figure 4 shows that since required emission changes are identical for both comparisons and there are no technological differences assumed between the two compared scenarios in either of the decompositions, the results are very similar. In 2030 there is nearly no difference between the decomposition shown in Figure 3 and Figure 4. In 2050 the energy intensity effect is generally larger in the decomposition of 80% EFF vs. 40% EFF, but only very slightly so. Since the total required emission reduction is similar for both decompositions, the carbon intensity effect moves in the other direction in 2050, being slightly more important in the 80% DEF vs. 40% DEF decomposition.

Figure 4 80% EFF decomposed against 40% EFF. Results normalized to 40% EFF emissions of respective year




Figure 5 highlights the effect of technology by decomposing the 40% EFF scenario against the 40% DEF scenario. Because of the scenario definition, energy efficiency improvements occur faster in 40% EFF than in 40% DEF. The 40% DEF and 40% EFF scenarios share the same climate targets and therefore the total emission differences across the two scenarios are close to zero. An easier access to high efficiency in 40% EFF thus increases the contribution of the energy intensity effect, when compared to 40% DEF. Note that since the scenario definition only covers end-use technologies, no homogeneous pattern can be observed for the conversion component. A stronger reliance on energy intensity improvements indicates that the energy that is used in 40% EFF can be more carbon intensive than in 40% DEF.

Figure 5 40% EFF decomposed against 40% DEF. Results normalized to 40% DEF emissions of respective year





Figure 6 shows the impact of improved end-use technologies under the stringent mitigation scenario. In terms of the total relative changes for the individual factors, technology has a similar effect as for the reference mitigation level of 40%. Since 80% DEF exhibits lower emissions than 40% DEF, however, the absolute impacts of improved end-use technologies are less pronounced with the more stringent mitigation target. This is understandable, as in the case for energy system models, since the mitigation required for 80% DEF induces a wider adoption of these technologies, even if their costs are kept at reference levels. In some models higher efficiency enables earlier mitigation action and banking of permits. This is the case for EPPA in 2040, for example, and the use of the banked permits is visible in the emission level in 2050.

Figure 6 80% EFF decomposed against 80% DEF. Results normalized to 80% DEF emissions of respective year



4.2 Disaggregated view on the economy

This section shows the results of the disaggregated sectoral decomposition analysis for the EU-27. This allows us to disentangle structural effects (sectoral shifts) from technology-based reductions in energy intensity. It decomposes a change in emissions across time periods and across policy scenarios into the four effects of economic output, structure, energy intensity and carbon intensity. The disaggregation distinguishes the sectors energy-intensive and non-energy-intensive industry, electricity generation, transport, commercial (services), agriculture and ‘other sector’.⁹

We analyze the extent to which these sectors contribute to the above-mentioned effects. The structural effect captures a variation of the production level in these sectors. Since the sectors have different energy and carbon intensities, the variation results in emission changes. We need to restrict this analysis to the computable general equilibrium (CGE) models EPPA, FARM-EU and PACE because only these models provide the necessary sectoral data on value added, energy use and emissions. The focus of the sectoral decomposition lies in disentangling the above-mentioned effects driven by given emission reduction targets, when annual energy efficiency improvements are set to reference values (policy 80% DEF and reference 40% DEF) or to more optimistic values (policy 80%

⁹ The decomposition analysis as sketched out in Section 3 requires information about value added on the sectoral level. This is why in the disaggregated view not all emissions can be covered by the analysis: the residential sector does not generate value added, and thus has to be excluded from the analysis. The ‘other sector’ covers further emission-relevant sectors. The activities subsumed under the ‘other sector’ differ. In PACE and FARM EU the ‘other sector’ includes the activities crude oil, natural gas and coal, whereas in EPPA it does not include any activities.

EFF and reference 40% EFF).¹⁰ Section 4.2.1 evaluates the effects within the 40 % reduction reference scenario while section 4.2.2 evaluates the differences between the 80 % reduction policy scenario and the 40 % reference scenario.

4.2.1 Decomposition over time

This subsection decomposes emission reductions for the EU-27 within the 40% emission reduction reference scenario over time for different assumptions on energy efficiency improvements.

Table 3 Decomposition of change in EU-27 CO₂ emissions over time and relative to 2010 in scenario 40% DEF (reference emissions targets, default energy efficiency assumption) for the years 2030 and 2050

	Scenario	Model	Economic output effect	Structure effect	Energy intensity effect	Carbon intensity effect	CO ₂ -emission change
2030	40% DEF	EPPA	0.32	-0.07	-0.33	-0.13	-0.21
		FARM EU	0.42	-0.18	-0.26	-0.24	-0.26
		PACE	0.47	-0.09	-0.48	-0.22	-0.32
2050		EPPA	0.54	-0.07	-0.57	-0.25	-0.35
		FARM EU	0.54	-0.18	-0.35	-0.39	-0.38
		PACE	0.53	-0.10	-0.56	-0.29	-0.42

The decomposition across time periods in Table 3 shows the change in CO₂ emissions in the years 2030 and 2050 relative to the emissions in 2010 within the reference scenario 40% DEF with default energy efficiency assumptions. Emissions decline in total (last column on the right) due to the emission targets assumed by these scenarios. The decrease ranges from 21% to 32% in 2030, and from 35% to 42% in 2050 - always vis-à-vis 2010 levels.

The total relative emissions change reported in the right column is split into the contributions of the four effects of economic output, structure, energy intensity and carbon intensity. The contributions of the four effects add up to the total emissions change in the far right column. The economic output effect, that is the increase in economic activity and output, is the main driver of rising emissions over time. All other effects reduce emissions.

Total emissions in 2010 and in subsequent years as well as the aggregation of production activities into sectors differ across models so that the CO₂ changes relative to 2010 levels in the right column also differ. FARM-EU and PACE are calibrated to higher economic growth than EPPA until 2030 and this is reflected in the higher economic output effect in 2030. EPPA's economic output effect becomes as high as in the other models in 2050.

Among the emission-reducing effects, the energy intensity effect has the highest magnitude, whereas the structural effect has the smallest magnitude. Therein, a negative – that is, emission-reducing – structural effect indicates that production shifts toward less emission-intensive sectors. The structural effect slightly weakens between 2030 and 2050, whereas the energy and carbon intensity effect

¹⁰ Note that the emissions changes reported in this section differ from those reported in the economy-wide decomposition as the emissions changes reported here are computed at a sectoral level, and we do not include all sectors and hence not all emissions as the residential sector had to be excluded from the analysis.

increase their contribution to emission reductions. The carbon intensity effect is smaller than the energy intensity effect in all three CGE models in the 40% DEF scenario: it is smallest in EPPA and highest in FARM-EU. It is a common finding of this study that CGE models, in contrast to energy system models, exploit the reduction in energy intensity to a larger extent than the reduction in carbon intensity. Energy intensity can be decremented by replacing energy inputs by other inputs within the (constant elasticity of substitution) production function, whereas technological options to reduce the carbon intensity of energy supply are usually more limited in CGE model than in energy models. Notwithstanding, all of the three CGE models under scrutiny here distinguish several emitting and non-emitting technologies for electricity generation. The degree of substitutability between these technologies and hence the carbon intensity effect depend upon the specific nesting structure and the elasticities of substitution, both of which vary across models. Notably, the prevailing role of (final) energy efficiency for emission reductions is in accordance with historical observations (1991 to 2011) for the EU (EEA 2013).

Table 4 Decomposition of change in EU-27 CO₂ emissions over time and relative to 2010 in 40% EFF scenario (stringent emissions targets, optimistic energy efficiency assumption) for the years 2030 and 2050

	Scenario	Model	Economic output effect	Structure effect	Energy intensity effect	Carbon intensity effect	CO ₂ -emission change
2030	40% EFF	EPPA	0.32	-0.08	-0.36	-0.10	-0.22
		FARM EU	0.42	-0.19	-0.28	-0.19	-0.24
		PACE	0.47	-0.10	-0.49	-0.20	-0.32
2050		EPPA	0.55	-0.07	-0.60	-0.22	-0.34
		FARM EU	0.57	-0.22	-0.39	-0.33	-0.37
		PACE	0.54	-0.11	-0.58	-0.25	-0.40

The decomposition across time periods in Table 4 depicts the same analysis as the previous table for the 40% EFF scenario, but now with more optimistic exogenous improvements in energy efficiency. As expected, the emission-reducing energy intensity effect has become (slightly) more pronounced than in the 40% DEF case described in Table 3. Given that the emission target is the same, there is less pressure to reduce emissions through the remaining effects.

Let us for the following interpretations define two effects that both decrease emissions induced by climate policy as complements. Let us define two effects that work in opposite directions induced by climate policy, i.e. one effect decreases whilst the other increases emissions, as substitutes.

Under the optimistic energy efficiency assumption 40% EFF, the emission-reducing carbon intensity effect has a smaller magnitude than under 40% DEF, and the emission-increasing economic output effect has a higher magnitude in 2050. Hence, to some extent, a greater exogenously driven contribution of the energy intensity effect replaces the carbon intensity and economic output effect. In this sense, energy intensity and carbon intensity as well as output can be seen as substitutes. On the contrary, the magnitude of the emission-reducing structural effect is higher under 40% EFF than under 40% DEF. The reason is that higher sectoral energy efficiency improvements create a higher potential

to exploit these improvements via production shifts across sectors. In this sense, energy intensity and structural shifts can be seen as complements.

To conclude, the three models show similar patterns of decomposed emissions effects over time, in most cases with the highest emission reduction arising through the energy intensity effect and the smallest through the structural (sector) effect and the carbon intensity effect in between. The impact of a more optimistic view on energy efficiency improvements on this pattern is small. Economic output and carbon intensity act as substitutes for energy intensity, whereas the sectoral structure acts as a complement to energy intensity.

4.2.2 Decomposition across policy scenarios

This subsection reports on the results of decomposing EU-27 emissions change between the more stringent EU Roadmap climate policy scenario and the reference mitigation level for different assumptions on energy efficiency improvements.

Table 5 Decomposition of change in EU-27 CO₂ emissions in scenario 80% DEF (stringent emissions targets) relative to 40% DEF (reference scenario), default energy efficiency assumption, for the years 2030 and 2050. Results normalized to emissions of the 40 % DEF scenario of analyzed year

	Decomposition	Model	Economic output effect	Structure effect	Energy intensity effect	Carbon intensity effect	CO ₂ emission change
2030	80% DEF vs. 40% DEF	EPPA	-0.01	0.01	-0.06	-0.11	-0.17
		FARM EU	0.00	-0.01	-0.05	-0.19	-0.25
		PACE	0.00	0.00	-0.08	-0.11	-0.19
2050		EPPA	-0.07	-0.01	-0.24	-0.31	-0.63
		FARM EU	-0.03	-0.20	-0.21	-0.24	-0.68
		PACE	-0.01	0.00	-0.33	-0.41	-0.75

Table 5 reports on deviations in total emissions and in the contributions of the four decomposition effects for the 80% DEF policy scenario with more stringent emissions targets relative to the 40% DEF reference scenario. Both scenarios assume default energy efficiency improvements. Deviations are measured at certain points in time, 2030 or 2050. As before, the contributions of the four effects measured in relative changes add up to the total emissions change in the right column. The three models show different total emissions changes between the 80% DEF policy scenario and the 40 % reference scenario reported on the right hand side. The reason is that they exhibit different emission pathways due to their different calibrations to the EMF28 emissions trajectories.

In PACE electricity generation becomes nearly free of fossil fuel use in 2050 so that the resulting emission reduction reaches 75% in Table 5. Notably, this version of PACE features various electricity generation technologies (renewables, coal, gas, oil, nuclear) that can substitute for each other, each with a given supply elasticity.

The three models show similar patterns of emission reductions when moving to the more stringent 80% DEF scenario. While the economic output effect was shown to be the major emissions driver when decomposing over time, climate policy-induced output reductions (and lower economic growth)

contribute little to reducing emissions in order to achieve the more stringent emission target, especially in PACE (-1% in 2050). EPPA exhibits the highest output reduction (-7% in 2050) which supports the decoupling of economic growth and emissions under more stringent climate policy ambitions.

In all models, the carbon intensity effect is the most important channel for emission reductions, followed by the energy intensity effect. More stringent emission targets require a substantial decarbonization of energy supply beyond the energy intensity improvements already implemented in the 40% DEF scenario. This is visible in the results.

In EPPA and PACE the structural effect is almost negligible whereas in FARM EU it is much more pronounced: Structural shifts towards less energy-intensive sectors continue to provide a mean to achieve higher emission targets, in a balanced way with improvements in energy and carbon intensity.

Table 6 reports analog deviations for the 80% EFF policy scenario with more stringent emissions targets relative to the 40% EFF scenario. It is important to note that *both* scenarios assume more optimistic energy efficiency improvements so that the energy intensity effect is cancelled out to some extent in the results in relative terms. As a consequence of these scenario assumptions, the results for 2030, reported as relative changes between policy and reference, hardly differ between Table 6 and Table 5. Notwithstanding, a more optimistic assumption on energy intensity improvements over time will result in lower relative mitigation costs (compare Knopf et al. 2013). The reason is that the emissions intensity and the gap to the absolute emissions target, which is to be achieved, are smaller.

The comparison of Table 6 and Table 5 for 2050, however, yields some noteworthy differences: EPPA's total emissions are higher in 80% EFF than in 80% DEF¹¹ (and roughly equal in 40% EFF and 40% DEF) so that all resulting emission changes for 2050 are lower in Table 6. In FARM-EU the optimistic energy efficiency assumption results in a smaller structural effect shifting the focus on energy efficiency. In PACE, the same assumption yields a more pronounced carbon intensity effect.

Table 6 Decomposition of change in EU-27 CO₂ emissions in 80% EFF scenario (stringent emissions targets) relative to 40% EFF (reference scenario), optimistic energy efficiency assumption, for the years 2030 and 2050. Results normalized to emissions of 40 % EFF scenario of analyzed year


	Decomposition	Model	Economic output effect	Structure effect	Energy intensity effect	Carbon intensity effect	CO ₂ emission change
2030	80% EFF vs. 40% EFF	EPPA	-0.01	0.01	-0.06	-0.11	-0.17
		FARM EU	0.00	0.01	-0.05	-0.19	-0.23
		PACE	0.00	-0.01	-0.09	-0.10	-0.20
2050		EPPA	-0.05	0.00	-0.22	-0.29	-0.56
		FARM EU	-0.02	-0.14	-0.23	-0.29	-0.68
		PACE	-0.01	0.00	-0.32	-0.43	-0.76

The following figures focus on the sectors and further disaggregate each of the four effects into the contributions of the sectors of energy-intensive and non-energy-intensive industry, electricity generation, transport, commercial (services), agriculture and 'other sector'. This further disaggregation

¹¹ See also Section 4.1.2.


is shown for the default energy efficiency case (80% DEF vs. 40% DEF) and for the high energy efficiency case (80% EFF vs. 40% EFF).

Figure 7 Sectoral distribution of the economic output effect in the decomposition across scenarios in 2050



According to Figure 7, the transport sector contributes the largest part to the relative emission reductions through the economic output effect in all models. The energy-intensive industry sector contributes the second largest part. This implies substantial output reductions in these sectors. These sectors are emissions-intensive, but lack mitigation options besides mere output reduction. This result would change when low-carbon options like hydrogen were taken into account with regard to transport. The contribution of the non-energy-intensive sector is much smaller, and those of the other sectors are almost negligible. Especially in the electricity sector, remarkable decarbonization options exist (see Figure 8) so that an output reduction is neither necessary nor desirable. Clearly, the overall extent of the output effect is much higher in EPPA than in FARM-EU and in PACE.

Figure 8 Sectoral distribution of the carbon intensity effect in the decomposition across scenarios in 2050



According to Figure 8, the electricity sector contributes most to the decarbonization of energy supply in all models. The technological options and substitution possibilities implemented in the models are strongly exploited in the electricity sector. This mimics reality where renewable energies are mainly fostered in electricity generation. In EPPA, the non-energy-intensive sector contributes the second most to decarbonization, whereas in FARM and PACE energy-intensive sectors contribute the second most. Commercial contributes to emission reductions to a smaller extent. Transport contributes a small emissions increase in FARM-EU, because there are no mitigation options available in transport in this model, whereas it contributes a small emissions decrease in PACE.

Figure 9 Sectoral distribution of the energy intensity effect in the decomposition across scenarios in 2050




Figure 9 illustrates that the transport sector contributes most to the emission reductions through energy intensity improvements. Alongside the electricity sector, the transport sector is generally perceived as crucial for emission reductions because it makes a significant contribution to carbon emissions. In contrast to the electricity sector, the transport sector, however, has limited technological options for decarbonization. This is in particular true for our models that do not take future fuels like hydrogen into account. Hence, energy efficiency is the means to achieve the required emission reductions. The energy-intensive industry contributes almost as much as the transport sector. In industrial production, energy input can be substituted by other production inputs (like capital and labor) in order to reduce energy intensity in the models. Electricity and commercial sectors contribute far less to energy intensity improvements. Overall, the energy intensity effect is especially strong in this version of PACE.

Figure 10 Sectoral distribution of the structural effect in the decomposition across scenarios in 2050




Figure 10 reveals that the structural effect is the most diverse effect across models. Transport exhibits an emission-reducing structural effect in EPPA, but has the effect of increasing emissions in PACE. Instead, agriculture generates an emission-reducing structural effect in PACE. The FARM-EU model generates a very strong structural effect in the transport sector and to a smaller extent in the energy-intensive industry sector. Since FARM-EU does not allow for mitigation options in the transport sector, production needs to be substantially moved away from transport.

To conclude, the achievement of more stringent emission target results in a reduction in carbon intensity (decarbonization of energy supply) that exceeds the reduction in energy intensity. Electricity generation makes the largest contribution to this carbon intensity effect, whereas transport and energy-intensive industry make the largest contribution to the energy intensity effect and to the economic output effect. This pattern of emission reductions is similar across models and for different assumptions on energy intensity improvements. However, there are differences in detail, and the contributions of different sectors to the structural effect are diverse across models, due to the inbuilt availability of technology.

5 Discussion and conclusions

This paper applies economy- and sector-wide decomposition techniques to decompose scenario outputs of ten energy-economy models. The investigated scenarios describe the transformation induced by the EU-wide emission reduction target of 80% (relative to 1990) in 2050 and are a subset of the scenarios developed within the EMF28 modeling comparison exercise. The decomposition is

conducted in two ways. First decomposition over time helps insights to be gained into individual factors driving emission reductions in relation to the past. Second, decomposition across scenarios at a given point in time against another scenario helps to isolate the impact of mitigation policy or improved energy efficiency.

The economy-wide decomposition across time indicates that significant improvements in energy efficiency (reflecting both final end-use energy efficiency and the effects of structural change) and the deployment of carbon-free technologies can compensate for emissions that would be caused by GDP growth (affluence effect).

The general findings of this paper connect well to observed historical developments of CO₂ emission drivers. (EEA 2013) analyzes year-on-year changes in CO₂-emissions from fuel combustion and these are found to be mainly driven by affluence and, in general, reduced most prominently by final energy intensity, albeit to varying degrees. Conversion efficiency (in (EEA 2013) called 'energy efficiency') exhibits a rather small and varying effect on historical year-on-year emission change, as does carbon intensity.

Our economy-wide decomposition shows similar patterns. Decomposing over time shows that energy efficiency is the main short- to mid-term option (compare Figure 1). When moving to a more stringent mitigation target, however, carbon intensity becomes more important, specifically in the long run (compare Figure 2).

Decomposing across scenarios shows that a more stringent policy target could induce a change in the relative importance of the main drivers. Decarbonization becomes a more prominent driver for reaching more ambitious targets (compare Figure 3 and Figure 4). These results pursue the development in the EU up to now. In the longer term up to 2050, decarbonization driven by carbon-free technologies prevails, especially when the policy signal in terms of higher carbon prices becomes stronger and especially in models that include a technologically detailed description of the energy system. Yet, energy efficiency improvements remain important.

The sectoral decomposition aims at disentangling the effect of energy efficiency and structural change on emissions and further differentiating the effects of different components by sector. The sectoral decomposition over time confirms the predominant role of decarbonization and energy efficiency¹² compared with changes in the sectoral structure and output reductions with the aim of reducing emissions (compare Table 3 and Table 4). The computable general equilibrium (CGE) models included in the sectoral analysis show similar patterns of decomposed emission reductions across time as in the economy-wide decomposition: in most cases the highest emission reduction is achieved through increasing the energy efficiency effect and the smallest through the structural (sector) effect, while the carbon intensity effect lies in between.

The impact of a more optimistic view of energy efficiency improvements in the sectoral decomposition across scenarios on this pattern is rather small (compare Figure 7 to Figure 10). Economic output (output reduction) and carbon intensity act as substitutes for energy intensity, whereas sectoral

¹² Please note that energy efficiency in the economy-wide decompositions reflects the efficiency improvements in the final use of energy as well as the structural change in the composition of GDP, while in the sectoral decomposition these two effects are disentangled so that the energy efficiency component here reflects "real" technical energy efficiency improvement, i.e. final energy use per sectoral output.

structure acts as a complement to energy intensity. Electricity generation contributes most to the carbon intensity effect, whereas the transport sector and energy-intensive industry contribute the most to the economic output effect and energy intensity effect. This pattern of emission reductions is similar across models and for different assumptions on energy intensity improvements. However, there remain differences in the details, and the contributions of different sectors to the structural effect are diverse across models, due to the model-specific availability of technological options.

Further, since the sectoral decomposition requires detailed data not available from all model types that participate in EMF28, the subset of models that could be included in the sectoral analysis currently includes only CGE models. CGE models tend to exploit energy efficiency to a larger extent than decarbonization of energy supply, because they implement substitution possibilities in sectoral production, but have limited or no explicit technology options for electricity generation or for transport. A disaggregated decomposition formulation that would allow for the inclusion of energy technology-rich models without losing sectoral detail would thus likely enrich the analysis towards more diversified insights.

There are a number of policy-relevant considerations: Our analysis shows that energy efficiency improvements, which could be triggered by dedicated policies and measures, could bridge the time until carbon-free technologies mature, while their quick development would remain important. Still, developing substitutes for conventional energy also remains fundamental. As improving energy efficiency becomes either technically or economically more difficult, or when the mitigation target is very ambitious, decarbonization becomes increasingly more important.

At the sectoral level, the transport sector and energy-intensive industries are forced to reduce their energy input given the current state of technology. Therefore, technology improvement and innovation play a major role within these sectors to provide for additional mitigation options and to not lose international competitiveness.

6 References

- Anandarajah, G. et al., 2011. *TIAM-UCL Global Model*, London.
- Ang, B., 2004. Decomposition analysis for policymaking in energy: which is the preferred method? *Energy Policy*, 32(9), pp.1131–1139.
- Ang, B., 2005. The LMDI approach to decomposition analysis: a practical guide. *Energy Policy*, 33(7), pp.867–871.
- Ang, B. & Zhang, F.Q., 2000. A survey of index decomposition analysis in energy and environmental studies. *Energy*, 25(12), pp.1149–1176.
- Ang, B.W., Liu, F.L. & Chew, E.P., 2003. Perfect decomposition techniques in energy and environmental analysis. *Energy Policy*, 31(14), pp.1561–1566.
- Belleprat, E., 2012. Understanding long-term decarbonisation processes for China: insights from recently published energy-emissions scenarios. *IDDRI side-event*, p.21.

- Blanford, G.J., Richels, R.G. & Rutherford, T.F., 2009. Feasible climate targets: The roles of economic growth, coalition development and expectations. *Energy Economics*, 31, pp.S82–S93.
- Blanford, G.J., Rose, S.K. & Tavoni, M., 2012. Baseline projections of energy and emissions in Asia. *Energy Economics*, 34, pp.S284–S292.
- Böhringer, C. et al., 2009. EU climate policy up to 2020: An economic impact assessment. *Energy Economics*, 31(2), pp.295–305.
- Böhringer, C. & Lange, A., 2003. *Efficiency, Compensation, and Discrimination: What is at Stake when Implementing the EU Emissions Trading Scheme?*, Mannheim.
- Böhringer, C. & Löschel, A., 2006. Promoting Renewable Energy in Europe: A Hybrid Computable General Equilibrium Approach. The hybrid Modelling: New Answers to Old Challenges. *The Energy Journal*, pp.123–138.
- Bollen, J., 2013. EU Energy Roadmap: Learning and Intermittency. In *2013 International Energy Workshop*.
- Bosetti, V. et al., 2006. WITCH: a world induced technical change hybrid model. *Energy Journal*, 27(Special Issue 2), pp.13–38.
- Cahill, C.J. & Ó Gallachóir, B.P., 2010. Monitoring energy efficiency trends in European industry: Which top-down method should be used? *Energy Policy*, 38(11), pp.6910–6918.
- Calvin, K. et al., 2012. The role of Asia in mitigating climate change: Results from the Asia modeling exercise. *Energy Economics*, 34(Supplement 3), pp.S251–S260.
- Capros, P. et al., 2012. Transformations of the energy system in the context of the decarbonisation of the EU economy in the time horizon to 2050. *Energy Strategy Reviews*, 1(2), pp.85–96.
- De Cian, E., Schymura, M., et al., 2013. *Energy Intensity Developments in 40 Major Economies: Structural Change or Technology Improvement?*, Venice: FEEM.
- De Cian, E., Keppo, I., et al., 2013. European-led climate policy versus global mitigation action. Implications 1 on trade, technology, and energy. *Climate Change Economics*, (this issue).
- De Cian, E., Bosetti, V. & Tavoni, M., 2012. Technology innovation and diffusion in “less than ideal” climate policies: an assessment with the WITCH model. *Climatic Change*, 114(1), pp.121–143.
- Clarke, L. et al., 2009. International, U.S. and E.U. Climate Change Control Scenarios: Results from EMF 22. *Energy Economics*, 31(Supplement), pp.S63–S306.
- Criqui, P. & Mima, S., 2012. European climate—energy security nexus: A model based scenario analysis. *Energy Policy*, 41(0), pp.827–842.
- Diakoulaki, D. et al., 2006. A bottom-up decomposition analysis of energy-related CO₂ emissions in Greece. *Energy*, 31(14), pp.2638–2651.
- Edenhofer, O. et al., 2010. The economics of low stabilization: model comparison of mitigation strategies and costs. *The Energy Journal*, 31(Special Issue 1).
- EEA, 2013. Why did greenhouse gas emissions decrease in the EU in 2011 ? , pp.1–24.
- European Commission, 2011. Roadmap for moving to a competitive low carbon economy in 2050 COM(2011) 112 final.

- Fisher-Vanden, K. et al., 2012. Decomposing the impact of alternative technology sets on future carbon emissions growth. *Energy Economics*, 34, Supple(0), pp.S359–S365.
- Holdren, J.P. & Ehrlich, P.R., 1974. Human Population and the Global Environment. *American Scientist*, 62(3), pp.282–292.
- Hübler, M. & Löschel, A., 2013. The EU Decarbonisation Roadmap 2050: What way to walk? *Energy Policy*, 55, pp.190–207.
- Hübler, M. & Steckel, J.C., 2012. Economic Growth, Decarbonization, and International Transfers. *Climate and Development*, 4(2), pp.88–103.
- Kanudia, A. & Gargiulo, M., 2009. *The Pan European TIMES Model*, Reaces Project.
- Kaya, Y., 1990. Impact of Carbon Dioxide Emission Control on GNP growth: Interpretation of proposed scenarios.
- Kesicki, F., 2012a. Costs and potentials of reducing CO₂ emissions in the UK domestic stock from a systems perspective. *Energy and Buildings*, 51(0), pp.203–211.
- Kesicki, F., 2012b. Intertemporal issues and marginal abatement costs in the UK transport sector. *Transportation Research Part D: Transport and Environment*, 17(5), pp.418–426.
- Kesicki, F., 2013. Marginal abatement cost curves: combining energy system modelling and decomposition analysis. *Environmental Modeling and Assessment*, 18(1), pp.27–37.
- Kesicki, F. & Anandarajah, G., 2011. The role of energy-service demand reduction in global climate change mitigation: Combining energy modelling and decomposition analysis. *Energy Policy*, 39(11), pp.7224–7233.
- Knopf, B. et al., 2013. Beyond 2020 - Strategies for transforming the European energy system. *Climate Change Economics*, (this issue).
- Koljonen, T. & Lehtilä, A., 2012. The impact of residential, commercial, and transport energy demand uncertainties in Asia on climate change mitigation. *Energy Economics*, 34(Supplement3), pp.S410–S420.
- Liaskas, K. et al., 2000. Decomposition of industrial CO₂ emissions: The case of European Union. *Energy Economics*, 22(4), pp.383–394.
- Luderer, G. et al., 2013. Implications of weak near-term climate policies on long-term climate mitigation pathways. *Climatic Change*, (forthc.).
- Mendiluce, M., Pérez-Arriaga, I. & Ocaña, C., 2010. Comparison of the evolution of energy intensity in Spain and in the EU15. Why is Spain different? *Energy Policy*, 38(1), pp.639–645.
- Mulder, P. & de Groot, H.L.F., 2012. Structural change and convergence of energy intensity across OECD countries, 1970–2005. *Energy Economics*, 34(6), pp.1910–1921.
- Nag, B. & Parikh, J.K., 2005. Carbon emission coefficient of power consumption in India: baseline determination from the demand side. *Energy Policy*, 33(6), pp.777–786.
- Paltsev, S. et al., 2005. *MIT Joint Program on the Science and Policy of Global Change (EPPA) Model: Version 4*, Cambridge, MA.
- Paltsev, S. et al., 2011. The future of U.S. natural gas production, use, and trade. *Energy Policy*, 39(9), pp.5309–5321.

- Sands, R.D. et al., Bio-electricity and Land Use in the Future Agricultural Resources Model (FARM). *Climatic Change*, submitted(EMF27 Special Issue).
- Sands, R.D. & Schumacher, K., 2008. Economic comparison of greenhouse gas mitigation options in Germany. *Energy Efficiency*, 2(1), pp.17–36.
- Shrestha, R.M., Anandarajah, G. & Liyanage, M.H., 2009. Factors affecting CO₂ emission from the power sector of selected countries in Asia and the Pacific. *Energy Policy*, 37(6), pp.2375–2384.
- Steckel, J.C. et al., 2011. From carbonization to decarbonization?—Past trends and future scenarios for China's CO₂ emissions. *Energy Policy*, 39(6), pp.3443–3455.
- Steenhof, P.A., 2007. Decomposition for emission baseline setting in China's electricity sector. *Energy Policy*, 35(1), pp.280–294.
- Weyant, J., 2004. EMF 19 Alternative technology strategies for climate change policy. *Energy Economics*, 26(6), pp.501–756.
- Xu, J.-H. et al., 2012. Energy consumption and CO₂ emissions in China's cement industry: A perspective from LMDI decomposition analysis. *Energy Policy*, 50(0), pp.821–832.
- Zhang, M. et al., 2013. Decomposition analysis of CO₂ emissions from electricity generation in China. *Energy Policy*, 52(0), pp.159–165.

NOTE DI LAVORO DELLA FONDAZIONE ENI ENRICO MATTEI

Fondazione Eni Enrico Mattei Working Paper Series

Our Note di Lavoro are available on the Internet at the following addresses:

<http://www.feem.it/getpage.aspx?id=73&sez=Publications&padre=20&tab=1>
http://papers.ssrn.com/sol3/JELJOUR_Results.cfm?form_name=journalbrowse&journal_id=266659
<http://ideas.repec.org/s/fem/femwpa.html>
<http://www.econis.eu/LNG=EN/FAM?PPN=505954494>
<http://ageconsearch.umn.edu/handle/35978>
<http://www.bepress.com/feem/>

NOTE DI LAVORO PUBLISHED IN 2014

CCSD	1.2014	Erin Baker, Valentina Bosetti, Karen E. Jenni and Elena Claire Ricci: Facing the Experts: Survey Mode and Expert Elicitation
ERM	2.2014	Simone Tagliapietra: Turkey as a Regional Natural Gas Hub: Myth or Reality? An Analysis of the Regional Gas Market Outlook, beyond the Mainstream Rhetoric
ERM	3.2014	Eva Schmid and Brigitte Knopf: Quantifying the Long-Term Economic Benefits of European Electricity System Integration
CCSD	4.2014	Gabriele Standardi, Francesco Bosello and Fabio Eboli: A Sub-national CGE Model for Italy
CCSD	5.2014	Kai Lessmann, Ulrike Kornek, Valentina Bosetti, Rob Dellink, Johannes Emmerling, Johan Eyckmans, Miyuki Nagashima, Hans-Peter Weikard and Zili Yang: The Stability and Effectiveness of Climate Coalitions: A Comparative Analysis of Multiple Integrated Assessment Models
CCSD	6.2014	Sergio Currarini, Carmen Marchiori and Alessandro Tavoni: Network Economics and the Environment: Insights and Perspectives
CCSD	7.2014	Matthew Ranson and Robert N. Stavins: Linkage of Greenhouse Gas Emissions Trading Systems: Learning from Experience
CCSD	8.2013	Efthymia Kyriakopoulou and Anastasios Xepapadeas: Spatial Policies and Land Use Patterns: Optimal and Market Allocations
CCSD	9.2013	Can Wang, Jie Lin, Wenjia Cai and ZhongXiang Zhang: Policies and Practices of Low Carbon City Development in China
ES	10.2014	Nicola Genovese and Maria Grazia La Spada: Trust as a Key Variable of Sustainable Development and Public Happiness: A Historical and Theoretical Example Regarding the Creation of Money
ERM	11.2014	Ujjayant Chakravorty, Martino Pelli and Beyza Ural Marchand: Does the Quality of Electricity Matter? Evidence from Rural India
ES	12.2014	Roberto Antonietti: From Outsourcing to Productivity, Passing Through Training: Microeconomic Evidence from Italy
CCSD	13.2014	Jussi Lintunen and Jussi Uusivuori: On The Economics of Forest Carbon: Renewable and Carbon Neutral But Not Emission Free
CCSD	14.2014	Brigitte Knopf, Bjørn Bakken, Samuel Carrara, Amit Kanudia, Ilkka Keppo, Tiina Koljonen, Silvana Mima, Eva Schmid and Detlef van Vuuren: Transforming the European Energy System: Member States' Prospects Within the EU Framework
CCSD	15.2014	Brigitte Knopf, Yen-Heng Henry Chen, Enrica De Cian, Hannah Förster, Amit Kanudia, Ioanna Karkatsouli, Ilkka Keppo, Tiina Koljonen, Katja Schumacher and Detlef van Vuuren: Beyond 2020 - Strategies and Costs for Transforming the European Energy System
CCSD	16.2014	Anna Alberini, Markus Bareit and Massimo Filippini: Does the Swiss Car Market Reward Fuel Efficient Cars? Evidence from Hedonic Pricing Regressions, a Regression Discontinuity Design, and Matching
ES	17.2014	Cristina Bernini and Maria Francesca Cracolici: Is Participation in Tourism Market an Opportunity for Everyone? Some Evidence from Italy
ERM	18.2014	Wei Jin and ZhongXiang Zhang: Explaining the Slow Pace of Energy Technological Innovation: Why Market Conditions Matter?
CCSD	19.2014	Salvador Barrios and J. Nicolás Ibañez: Time is of the Essence: Adaptation of Tourism Demand to Climate Change in Europe
CCSD	20.2014	Salvador Barrios and J. Nicolás Ibañez Rivas: Climate Amenities and Adaptation to Climate Change: A Hedonic-Travel Cost Approach for Europe
ERM	21.2014	Andrea Bastianin, Marzio Galeotti and Matteo Manera: Forecasting the Oil-gasoline Price Relationship: Should We Care about the Rockets and the Feathers?
ES	22.2014	Marco Di Cintio and Emanuele Grassi: Wage Incentive Profiles in Dual Labor Markets
CCSD	23.2014	Luca Di Corato and Sebastian Hess: Farmland Investments in Africa: What's the Deal?
CCSD	24.2014	Olivier Beaumais, Anne Briand, Katrin Millock and Céline Nauges: What are Households Willing to Pay for Better Tap Water Quality? A Cross-Country Valuation Study
CCSD	25.2014	Gabriele Standardi, Federico Perali and Luca Pieroni: World Tariff Liberalization in Agriculture: An Assessment Following a Global CGE Trade Model for EU15 Regions
ERM	26.2014	Marie-Laure Nauleau: Free-Riding in Tax Credits For Home Insulation in France: An Econometric Assessment Using Panel Data

CCSD 27.2014 Hannah Förster, Katja Schumacher, Enrica De Cian, Michael Hübler, Ilkka Keppo, Silvana Mima and Ronald D. Sands: [European Energy Efficiency and Decarbonization Strategies Beyond 2030 – A Sectoral Multi-model Decomposition](#)